

**EMBRYONIC STEM CELLS AND NEURAL PROGENITOR CELLS
DERIVED THEREFROM**

5

10

The present invention relates to undifferentiated human embryonic stem cells, methods of cultivation and propagation and production of differentiated cells. In particular it relates to the production of human ES cells capable of yielding somatic differentiated cells *in vitro*, as well as committed progenitor cells such as neural progenitor cells capable of giving rise to mature somatic cells including neural cells and/or glial cells and uses thereof.

INTRODUCTION

The production of human embryonic stem cells which can be either maintained in an undifferentiated state or directed to undergo differentiation into extraembryonic or somatic lineages *in vitro* allows for the study of the cellular and molecular biology of early human development, functional genomics, generation of differentiated cells from the stem cells for use in transplantation or drug screening and drug discovery *in vitro*.

25

In general, stem cells are undifferentiated cells which can give rise to a succession of mature functional cells. For example, a haematopoietic stem cell may give rise to any of the different types of terminally differentiated blood cells. Embryonic stem (ES) cells are derived from the embryo and are pluripotent, thus possessing the capability of developing into any organ, cell type or tissue type or, at least potentially, into a complete embryo.

30

The development of mouse ES cells in 1981 (Evans and Kaufman, 1981; Martin, 1981) provided the paradigm, and, much of the technology, for the development of human ES cells. Development of ES cells evolved out of work on mouse

0
5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95

5

10

15
20
25
30

teratocarcinomas, (tumours arising in the gonads of a few inbred strains), which consist of a remarkable array of somatic tissues juxtaposed together in a disorganised fashion. Classical work on teratocarcinomas established their origins from germ cells in mice, and provided the concept of a stem cell (the embryonal carcinoma or EC cell) which could give rise to the multiple types of tissue found in the tumours (Kleinsmith and Pierce, 1964; review, Stevens, 1983). The field of teratocarcinoma research (review, Martin, 1980) expanded considerably in the 70's, as the remarkable developmental capacity of the EC stem cell became apparent following the generation of chimaeric mice by blastocyst injection of EC cells, and investigators began to realise the potential value of cultured cell lines from the tumours as models for mammalian development. EC cells however had limitations. They often contained chromosomal abnormalities, and their ability to differentiate into multiple tissue types was often limited.

Since teratocarcinomas could also be induced by grafting blastocysts to ectopic sites, it was reasoned that it might be possible to derive pluripotential cell lines directly from blastocysts rather than from tumours, as performed in 1981 by Gail Martin and Martin Evans independently. The result was a stable diploid cell line which could generate every tissue of the adult body, including germ cells. Teratocarcinomas also develop spontaneously from primordial germ cells in some mouse strains, or following transplantation of primordial germ cells to ectopic sites, and in 1992 Brigid Hogan and her colleagues reported the direct derivation of EG cells from mouse primordial germ cells (Matsui et al., 1992). These EG cells have a developmental capacity very similar to ES cells.

25

30

Testicular teratocarcinomas occur spontaneously in humans, and pluripotential cell lines were also developed from these (review, Andrews, 1988). Two groups reported the derivation of cloned cell lines from human teratocarcinoma which could differentiate *in vitro* into neurons and other cell types (Andrews et al., 1984, Thompson et al., 1984). Subsequently, cell lines were developed which could

5
differentiate into tissues representative of all three embryonic germ layers (Pera et al., 1989). As analysis of the properties of human EC cells proceeded, it became clear that they were always aneuploid, usually (though not always) quite limited in their capacity for spontaneous differentiation into somatic tissue, and different in phenotype from mouse ES or EC cells.

10
The properties of the pluripotent cell lines developed by Pera et al. (1989) are as follows:

- Express SSEA-3,SSEA-4, TRA 1-60, GCTM-2, alkaline phosphatase, Oct-4
- Grow as flat colonies with distinct cell borders
- Differentiate into derivatives of all three embryonic germ layers
- Feeder cell dependent (feeder cell effect on growth not reconstituted by conditioned medium from feeder cells or by feeder cell extracellular matrix)
- Highly sensitive to dissociation to single cells, poor cloning efficiency even on a feeder cell layer
- Do not respond to Leukemia Inhibitory Factor

15
These studies of human EC cells essentially defined the phenotype of primate pluripotential stem cells.

20
25
Derivation of primate ES cells from the rhesus monkey blastocyst and later from that of the marmoset (Thomson et al., 1995, 1996) has been described. These primate cell lines were diploid, but otherwise they closely resembled their nearest counterpart, the human EC cell. The implication of the monkey work and the work on human EC cells was that a pluripotent stem cell, which would be rather different in phenotype from a mouse ES cell, could likely be derived from a human blastocyst.

Bongso and coworkers (1994) reported the short term culture and maintenance of cells from human embryos fertilised *in vitro*. The cells isolated by Bongso and coworkers had the morphology expected of pluripotent stem cells, but these early studies did not employ feeder cell support, and it was impossible to achieve long term maintenance of the cultures.

James Thomson and coworkers (1998) derived ES cells from surplus blastocysts donated by couples undergoing treatment for infertility. The methodology used was not very different from that used 17 years earlier to derive mouse ES stem cells. The trophectoderm, thought to be inhibitory to ES cell establishment, was removed by immunosurgery, the inner cell mass was plated on to a mouse embryonic fibroblast feeder cell layer, and following a brief period of attachment and expansion, the resulting outgrowth was disaggregated and replated onto another feeder cell layer. There were no significant departures from mouse ES protocols in the media or other aspects of the culture system and a relatively high success rate was achieved. The phenotype of the cells was similar to that outlined above in the human EC studies of Pera et al.

In the studies of Thomson et al. on monkey and human ES cells, there was no evidence that the cells showed the capacity for somatic differentiation *in vitro*. Evidence for *in vitro* differentiation was limited to expression of markers characteristic of trophoblast and endoderm formation (production of human chorionic gonadotrophin and alphafoetoprotein). It is not possible to state whether the cells found producing alphafetoprotein represent extraembryonic (yolk sac) endoderm or definitive (embryonic) endoderm though the former is far more likely. Thus an essential feature for any human ES cell line to be of practical use, namely the production of differentiated somatic cells *in vitro* as seen in previous studies of human EC cells, was not demonstrated in the monkey or human ES cell studies.

5

10

15

20

25

30

Much attention recently has been devoted to the potential applications of stem cells in biology and medicine, the properties of pluripotentiality and immortality are unique to ES cells and enable investigators to approach many issues in human biology and medicine for the first time. ES cells potentially can address the shortage of donor tissue for use in transplantation procedures, particularly where no alternative culture system can support growth of the required committed stem cell. However, it must be noted that almost all of the wide ranging potential applications of ES cell technology in human medicine-basic embryological research, functional genomics, growth factor and drug discovery, toxicology, and cell transplantation are based on the assumption that it will be possible to grow ES cells on a large scale, to introduce genetic modifications into them, and to direct their differentiation. Present systems fall short of these goals, but there are indications of progress to come. The identification of novel factors driving pluripotential stem cell growth or stem cell selection protocols to eliminate the inhibitory influence of differentiated cells, both offer a way forward for expansion and cloning of human ES cells.

The mammalian nervous system is a derivative of the ectodermal germ layer of the postimplantation embryo. During the process of axis formation, it is thought that inductive signals elaborated by several regions of the embryo (the anterior visceral endoderm and the early gastrula organiser) induce the pluripotent cells of the epiblast to assume an anterior neural fate (Beddington and Robertson, 1999). The molecular identity of the factors elaborated by these tissues which direct neurogenesis is unknown, but there is strong evidence from lower vertebrates that antagonists of the Wnt and BMP families of signalling molecules may be involved.

Embryonic stem cells are pluripotent cells which are thought to correspond to the epiblast of the periimplantation embryo. Mouse ES cells are able to give rise to neural tissue *in vitro* either spontaneously or during embryoid body formation. The neural tissue often forms in these circumstances in amongst a mixture of a range of cell types. Alteration of the conditions of culture, or subsequent selection of neural cells from this

5

mixture, has been used to produce relatively pure populations of neuronal cells from differentiating cultures of ES cells (eg Li et al., 1998). These neuronal cells have been used in experimental models to correct various deficits in animal model systems (review, Svendsen and Smith, 1999). The same has not yet been achieved with human ES cell derived neurons, though neuronal cells have been derived from human embryonal carcinoma cells which were induced to differentiate using retinoic acid. These EC cells were subsequently shown to correct deficits in experimental models of CNS disease.

10

A suitable source of human ES derived neurons would be desirable since their availability would provide real advantages for basic and applied studies of CNS development and disease. Controlled differentiation of human ES cells into the neural lineage will allow experimental dissection of the events during early development of the nervous system, and the identification of new genes and polypeptide factors which may have a therapeutic potential such as induction of regenerative processes. Additional pharmaceutical applications may include the creation of new assays for toxicology and drug discovery, such as high-throughput screens for neuroprotective compounds. Generation of neural progenitors from ES cells *in vitro* may serve as an unlimited source of cells for tissue reconstruction and for the delivery and expression of genes in the nervous system.

15
20
25

It is an object of the invention to overcome or at least alleviate some of the problems of the prior art.

25

SUMMARY OF THE INVENTION

In one aspect of the present invention, there is provided an enriched preparation of undifferentiated human embryonic stem cells capable of proliferation *in vitro* and differentiation to neural progenitor cells, neuron cells and/or glial cells.

30

Preferably the undifferentiated ES cells have the potential to differentiate into neural progenitor cells, neuron cells and/or glial cells when subjected to differentiating conditions.

5 More preferably, the undifferentiated ES cells are capable of maintaining an undifferentiated state when cultured on a fibroblast feeder layer.

10 In another aspect of the present invention there is provided an undifferentiated human embryonic stem cell wherein the cell is immunoreactive with markers for human pluripotent stem cells including SSEA-4, GCTM-2 antigen, TRA 1-60 and wherein said cell may differentiate under differentiating conditions to neural cells. Preferably, the cells express the transcription factor Oct-4 as demonstrated by RT-PCR. More preferably, the cells maintain a diploid karyotype during prolonged cultivation *in vitro*.

15 In another aspect there is provided an undifferentiated cell line capable of differentiation into neural progenitor cells, neurone cells and glial cells and preferably produced by a method of the present invention.

20 In another aspect there is provided a differentiated committed progenitor cell line that may be cultivated for prolonged periods and give rise to large quantities of progenitor cells.

25 In another aspect there is provided a differentiated committed progenitor cell line capable of differentiation into mature neurons and/or glial cells.

30 In another aspect, there is provided a neural progenitor cell, neuron cell and/or a glial cell differentiated *in vitro* from an undifferentiated embryonic stem cell. There is also provided a committed neural progenitor cell capable of giving rise to mature neuron cells and glial cells.

In another aspect there is provided a differentiated committed progenitor cell line capable of establishing a graft in a recipient brain and to participate in histogenesis of the nervous system.

5 Preferably, the undifferentiated cell line is preserved by preservation methods such as cryopreservation. Preferably the method of cryopreservation is a method highly efficient for use with embryos such as vitrification. Most preferably, the method includes the Open Pulled Straw (OPS) vitrification method.

10 In another aspect the neural progenitor cell line is preserved by preservation methods such as cryopreservation.

In another aspect, there is provided a neural progenitor cell capable of differentiating into glial cells, including astrocytes and oligodendrocytes.

In another aspect, there is provided a neural progenitor cell capable of transdifferentiation into other cell lineages, to generate stem cells and differentiated cells of non-neuronal phenotype, such as hematopoietic stem cells.

In a further aspect of the present invention, there is provided a method of preparing undifferentiated human embryonic stem cells for differentiation into neural progenitor cells, said method including:

25 obtaining an *in vitro* fertilised human embryo and growing the embryo to a blastocyst stage of development;

removing inner cells mass (ICM) cells from the embryo;

culturing ICM cells under conditions which do not induce extraembryonic differentiation and cell death and promote proliferation of undifferentiated cells; and recovering stem cells.

In a further preferred embodiment of the present invention there is provided a method of preparing undifferentiated human embryonic stem cells for differentiation into neural progenitor cells, said method including:

obtaining an *in vitro* fertilised human embryo;

5 removing inner cell mass (ICM) cells from the embryo;

culturing ICM cells on a fibroblast feeder layer to promote proliferation of embryonic stem cells; and

recovering stem cells from the feeder layer.

10 In a further embodiment of the invention, the method further includes:

replacing the stem cells from the fibroblast feeder layer onto another fibroblast feeder layer; and

culturing the stem cells for a period sufficient to promote proliferation of morphologically undifferentiated stem cells.

In another aspect of the invention the method further includes propagating the undifferentiated stem cells.

In another aspect of the invention there is provided a method of inducing somatic differentiation of stem cells *in vitro* into progenitor cells said method comprising :

obtaining undifferentiated stem cells; and

providing a differentiating signal under conditions which are non-permissive for stem cell renewal, do not kill cells and induces unidirectional differentiation toward extraembryonic lineages.

25

In a preferred embodiment of the present invention, there is provided a method of inducing somatic differentiation of stem cells *in vitro* into progenitor cells, said method comprising:

obtaining undifferentiated stem cells; and

culturing said cells for a prolonged period and at high density on a fibroblast feeder cell layer to induce differentiation.

5 In another preferred embodiment of the present invention, there is provided a method of inducing somatic differentiation of stem cells *in vitro* into progenitor cells, said method comprising:

obtaining undifferentiated stem cells; and

transferring said cells into serum free media to induce differentiation.

10 In an additional aspect of the invention method may be used for directing stem cells to differentiate toward a somatic lineage. Furthermore, the method allows the establishment of a pure preparation of progenitor cells from a desired lineage and facilitate the establishment of a pure somatic progenitor cell line.

15 In another preferred embodiment of the present invention, there is provided a method of inducing the differentiation of ES derived neural progenitor cells into differentiated mature neuronal cells, and glial cells including oligodendrocyte and astrocyte cells.

20 This invention provides a method that generates an *in vitro* and *in vivo* model of controlled differentiation of ES cells towards the neural lineage. The model, and the cells that are generated along the pathway of neural differentiation may be used for the study of the cellular and molecular biology of human neural development, for the discovery of genes, growth factors, and differentiation factors that play a role in neural differentiation and regeneration, for drug discovery and for the development of 25 screening assays for teratogenic, toxic and neuroprotective effects.

In a further aspect of the invention there is provided a neural progenitor cell, a neuronal cell and a glial cell that may be used for cell therapy and gene therapy.

30

FIGURES

Figure 1 shows phase contrast micrographs of ES cells and their differentiated progeny. A, inner cell mass three days after plating. B, colony of ES cells. C, higher magnification of an area of an ES cell colony. D, an area of an ES cell colony undergoing spontaneous differentiation during routine passage. E, a colony four days after plating in the absence of a feeder cell layer but in the presence of 2000 units/ml human LIF undergoing differentiation in its periphery,. F, neuronal cells in a high density culture. Scale bars: A and C, 25 microns; B and E, 100 microns; D and F, 50 microns.

Figure 3 shows RT-PCR analysis of gene expression in ES cells and their differentiated derivatives. All panels show 1.5% agarose gels stained with ethidium bromide. A, expression of Oct-4 and b-actin in ES stem cells and high density cultures. Lane 1, 100 bpDNA ladder. Lane 2, stem cell culture, b-actin. Lane 3, stem cell culture, Oct-4. Lane 4, stem cell culture, PCR for Oct-4 carried out with omission of reverse transcriptase. Lane 5, high density culture, b-actin. Lane 6, high density culture, Oct-4. Lane 7, high density culture, PCR for Oct-4 carried out with omission of reverse transcriptase. b-actin band is 200 bp and Oct-4 band is 320 bp. B,

5

10

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95

expression of nestin and Pax-6 in neural progenitor cells that were derived from differentiating ES colonies. Left lane, 100bp DNA ladder; lane 1, b-actin in HX 142 neuroblastoma cell line (positive control for nestin PCR); lane 2, b-actin in neural progenitor cells; lane 3, nestin in HX 142 neuroblastoma cell line; lane 4, nestin in neural progenitor cells; lane 5, nestin PCR on same sample as lane 4 without addition of reverse transcriptase; lane 6, Pax-6; lane 7, Pax-6 PCR on same sample as line 6 without addition of reverse transcriptase. Nestin band is 208 bp, Pax-6 is 274 bp. C, expression of glutamic acid decarboxylase in cultures of neurons. Left lane, 100bp DNA ladder; lane 1, b-actin; lane 2, b-actin PCR on same sample as lane 1 without addition of reverse transcriptase; lane 3, glutamic acid decarboxylase; lane 4 glutamic acid decarboxylase on same sample as lane 3 without addition of reverse transcriptase. Glutamic acid decarboxylase band is 284 bp. D, expression of GABA A α 2 receptor. Left lane, 100bp DNA ladder; lane 1, b-actin; lane 2, GABA A α 2 receptor; lane 3, PCR without addition of reverse transcriptase. GABA A α 2 receptor subunit band is 471 bp.

Figure 4 shows histology of differentiated elements found in teratomas formed in the testis of SCID mice following inoculation of HES-1 or HES-2 colonies. A, cartilage and squamous epithelium, HES-2. B, neural rosettes, HES-2. C, ganglion, gland and striated muscle, HES-1. D, bone and cartilage, HES-1. E, glandular epithelium, HES-1. F, ciliated columnar epithelium, HES-1. Scale bars: A-E, 100 microns; F, 50 microns.

25

Figure 5 shows phase contrast microscopy and immunochemical analysis of marker expression in neural progenitor cells isolated from differentiating ES cultures. A, phase contrast image of a sphere formed in serum-free medium. B-D, indirect immunofluorescence staining of spheres, 4 hours after plating on adhesive substrate, for N-CAM, nestin, and vimentin respectively. In C and D, cells at the base of the sphere were placed in plane of focus to illustrate filamentous staining; confocal

examination revealed that cells throughout the sphere were decorated by both antibodies. Scale bar is 100 microns in all panels.

Figure 6 shows phase contrast appearance and marker expression in cultures of neurons derived from progenitor cells shown in Figure 5. A, phase contrast micrograph of differentiated cells emanating from a sphere plated onto adhesive surface. B-H, indirect immunofluorescence microscopy of differentiated cells decorated with antibodies against 200 kDa neurofilament protein (B), 160 kDa neurofilament protein (C), MAP2a+b (D), glutamate (E), synaptophysin (F), glutamic acid decarboxylase (G) and β -tubulin (H). Scale bars: A, B, 100 microns; C, 200 microns; D, 20 microns; E and F, 10 microns; G, 20 microns; H, 25 microns.

Figure 7 shows neural precursors proliferating as a monolayer on a plastic tissue culture dish in the presence of EGF and bFGF. These monolayer cultures of proliferating cells were obtained after prolonged cultivation (2-3 weeks) of the spheres in the presence of growth factors without sub-culturing.

Figure 8 shows phase contrast appearance of a culture consisting of differentiated neural cells.

Figure 9 shows phase contrast appearance of a sphere that is formed 72 hours after the transfer of a clump of undifferentiated ES cells into serum free medium (Scale bar 100 microns).

Figure 10 shows linear correlation between the volume of spheres and the number of progenitor cells within a sphere. Spheres of various diameters that were generated from differentiating ES colonies and were propagated for 14-15 weeks were disaggregated into single cell suspension and the number of cells per sphere was counted.

Figure 11 shows indirect immunofluorescence staining of a sphere , 4 hours after plating on adhesive substrate, for N-CAM. The sphere was generated by direct transfer of undifferentiated ES cells into serum free medium and propagation of the resulting spheres for 5 passages. (Scale bar 100 microns).

5

Figure 12 shows indirect immunofluorescence membranous staining for N-CAM of single cells at the periphery of a sphere 4 hours after plating on adhesive substrate. The sphere was generated by direct transfer of undifferentiated ES cells into serum free medium and propagation of the resulting spheres for 5 passages. (Scale bar 25 microns).

Figure 13 shows indirect immunofluorescence staining of a spheres 4 hours after plating on adhesive substrate for the intermediate filament nestin. Cells at the base of the sphere were placed in plane of focus to illustrate filamentous staining. The sphere was generated by direct transfer of undifferentiated ES cells into serum free medium and propagation of resulting spheres for 5 passages. (Scale bar 25 microns).

Figure 14 shows indirect immunofluorescence microscopy of a differentiated cell decorated with antibodies against the oligodendrocyte progenitor marker O4. (Scale bar 12.5 microns).

Figure 15 shows indirect immunofluorescence staining of a sphere 4 hours after plating on adhesive substrate for the intermediate filament vimentin. Cells at the base of the sphere were placed in plane of focus to illustrate filamentous staining. The sphere was generated by direct transfer of undifferentiated ES cells into serum free medium and propagation of resulting spheres for 7 passages. (Scale bar 25 microns).

Figure 16 shows the growth pattern of spheres that were generated directly from undifferentiated ES cells. Each bar represents the mean (\pm SD) increment in volume

per week of 24 spheres at first to twelve weeks after derivation. A more excessive growth rate is evident during the first 5 weeks.

5 Figure 17 shows persistent growth in the volume of spheres along time. Each bar represents the mean (\pm SD) increment in volume per week of 24 spheres at nine to twenty one weeks after derivation. The spheres were generated from differentiating ES colonies.

10 Figure 18 shows linear correlation between the volume of spheres and the number of progenitor cells within a sphere. Spheres of various diameters, that were generated directly from undifferentiated ES cells and were propagated 5-7 weeks, were disaggregated into single cell suspension and the number of cells per sphere was counted.

15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100

25

Figure 19 shows RT-PCR analysis of gene expression in ES cells (a week after passage) and neural spheres derived from differentiating colonies and directly from undifferentiated ES cell. All panels show 2% agarose gels stained with ethidium bromide. Lanes 1, 2 and 3, Oct-4 in ES cell culture, neural spheres derived from differentiating colonies, neural spheres derived from undifferentiated ES cells. Lane 4, stem cell culture, PCR for Oct-4 carried out with omission of reverse transcriptase. Lanes 5, 6, and 7, nestin in ES cell culture, neural spheres derived from differentiating colonies, neural spheres derived from undifferentiated ES cells. Lane 8, stem cell culture, PCR for nestin carried out with omission of reverse transcriptase. Lanes 9, 10 and 11, Pax-6 in ES cell culture, neural spheres derived from differentiating colonies, neural spheres derived from undifferentiated ES cells. Lane 12, stem cell culture, PCR for Pax-6 carried out with omission of reverse transcriptase. Lane 13, 100 bp DNA ladder. Oct-4 band is 320bp, nestin is 208 bp and Pax-6 is 274 bp.

30

Figure 20 shows indirect immunofluorescence microscopy of differentiated astrocyte cells decorated with antibody against GFAP. (Scale bar 25 microns).

5 Figure 21 shows indirect immunofluorescence microscopy of brain sections of two mice (A and B) 4 weeks after transplantation of human neural precursors prelabeled with BrDU. Cells with a nucleus decorated with anti BrDU (brown stain, black arrow) are evident near the ventricular surface (white arrow indicate mouse unstained nuclei, bar = 20 microns).

10 Figure 22 shows indirect immunofluorescence microscopy of brain sections of a mice 4 weeks after transplantation of human neural precursors prelabeled with BrDU. Wide spread distribution of transplanted human cells decorated by anti BrDU antibodies is evident in the periventricular areas. The periventricular area in A is demonstrated at a

15 higher magnification in B and C. (Bars = 150, 60 and 30 microns in A, B and C).

20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100

Figure 23 shows indirect immunocytochemical microscopy of brain sections of a mice 4 weeks after transplantation of human neural precursors prelabeled with BrDU. The transplanted human cells are migrating along the rostral migratory stream (bar= 150 microns).

25 Figure 24 shows RT-PCR analysis of gene expression in neural spheres derived from differentiating (A) and undifferentiated (B) ES cells. All panels show 2% agarose gels stained with ethidium bromide. Lanes 1 and 10, 100 bpDNA ladder; Lane 2, CD-34; Lane 3, Flk-1; lane4, HNF-3; lane 5, alfafetoprotein. Lanes 6-9 PCR reaction on the same samples as lanes 2-5 carried out with the omission of reverse transcriptase. CD-34 band is 200bp, Flk-1 is 199, HNF-3 is 390, AFP is 340bp.

30

Figure 25 shows by RT-PCR analysis the expression of GFAP and the *plp* gene in differentiated cells from neural spheres derived from differentiating ES cell colonies. The expression of GFAP indicates differentiation into astrocytes while the presence of both *dm-20* and *plp* transcripts indicate that differentiation into oligodendrocyte cells has occurred. Lanes 2,4,6 and lanes 3,5,7 are from two separate

RNA samples from differentiated spheres that were independently derived from ES cells. Lane 1 and 8, 100 bp DNA ladder; Lanes 2 and 4, GFAP; lanes 3 and 5, *plp* and *dm-20*; lanes 6 and 7, PCR reaction on the same samples as lanes 3 and 5 carried out with the omission of reverse transcriptase. GFAP band is 383, *plp* band is 354 bp and *dm-20* is 249 bp.

Figure 26 shows a dark field stereomicroscopic photograph of areas (arrows) destined to give rise to neural precursors in a differentiating ES cell colony 3 weeks after passage (bar = 1.6mm).

Figure 27 shows indirect immunochemical analysis of marker expression in cultures of neurons derived from progenitor cells that were derived directly from undifferentiated ES cells: A, indirect immunofluorescence microscopy of neurits decorated with antibody against 160 kDa neuofilament protein. B and C, indirect immunofluorescence staining of differentiated cells for MAP2a+b and β -tubulin III. Scale bars: A 100 microns, B and C 10 microns.

Figure 28 shows indirect immunochemical analysis of the expression of tyrosine hydroxylase. Neurits (A) and a differentiated cell (B) are decorated with antibodies against tyrosine hydroxylase. Scale bars: 30 microns.

Figure 29 shows *in vivo* differentiation into astrocyte cells of transplanted human neural progenitors prelabeled with BrDU. Donor cells are identified by indirect immunochemical detection of BrDU (dark nuclei, arrows). Dual staining demonstrates donor cells decorated by anti GFAP (orange). Transplanted cells are migrating into the brain parenchyma (white arrow) and are also found in the periventricular zone (dark arrow) (A), A higher magnification of cells that have differentiated into astrocytes and migrated into the host brain (B).

Figure 30 shows *in vivo* differentiation into oligodendrocyte cells of transplanted human neural progenitors prelabeled with BrDU. Donor cells are identified by indirect immunochemical detection of BrDU (dark nuclei, arrows). Dual staining demonstrates donor cells decorated by anti CNPase (orange).

5

DESCRIPTION OF THE INVENTION

10

In one aspect of the present invention there is provided an enriched preparation of human undifferentiated embryonic stem cells capable of proliferation *in vitro* and differentiation to neural progenitor cells, neuron cells and/or glial cells.

15

Throughout the description and claims of this specification, the word "comprise" and variations of the word, such as "comprising" and "comprises", is not intended to exclude other additives, components, integers or steps.

20

Established pluripotent ES cell lines from human blastocysts are shown in , PCT/AU99/00990 by the applicants. In contrast to data which has published previously, the human ES cell lines that have been derived by the applicants in the present application have been shown to differentiate *in vitro* into somatic lineages and give rise to neurons and muscle cells. Moreover, Applicants have demonstrated the derivation of neural progenitor cells from human ES cells *in vitro*. These ES derived human neural progenitors may give rise to mature neurons *in vitro*. The contents of PCT/AU99/00990 are hereby incorporated.

25

Proliferation *in vitro* may include cultivation of the cells for prolonged periods. The cells are substantially maintained in an undifferentiated state. Preferably the cells are maintained under conditions which do not induce cell death or extraembryonic differentiation.

30
35
40
45
50
55
60
65
70
75
80
85
90
95

Preferably, they are capable of maintaining an undifferentiated state when cultured on a fibroblast feeder layer preferably under non-differentiating conditions. Preferably the fibroblast feeder layer does not induce extraembryonic differentiation.

5 More preferably the cells have the potential to differentiate *in vitro* when subjected to differentiating conditions. Most preferably the cells have the capacity to differentiate *in vitro* into a wide array of somatic lineages.

10 The promotion of stem cells capable of being maintained in an undifferentiated state *in vitro* on one hand, and which are capable of differentiation *in vitro* into extraembryonic and somatic lineages on the other hand, allows for the study of the cellular and molecular biology of early human development, functional genomics, generation of differentiated cells from the stem cells for use in transplantation or drug screening and drug discovery *in vitro*.

15 Once the cells are maintained in the undifferentiated state, they may be differentiated to mature functional cells. The embryonic stem cells are derived from the embryo and are pluripotent and have the capability of developing into any organ or tissue type. Preferably the tissue type is selected from the group including endocrine cells, blood cells, neural cells or muscle cells. Most preferably they are neural cells.

20 In another aspect of the present invention there is provided an undifferentiated human embryonic stem cell wherein the cell is immunoreactive with markers for human pluripotent stem cells including SSEA-4, GCTM-2 antigen, and TRA 1-60 and wherein said cell can differentiate, under differentiating conditions to neural cells. Preferably, the cells express specific transcription factors such as Oct-4 as demonstrated by RT-PCR, or methods of analysis of differential gene expression, microarray analysis or related techniques. More preferably the cells maintain a diploid karyotype during prolonged cultivation *in vitro*. Preferably, the stem cell will 25 constitute an enriched preparation of an undifferentiated stem cell line. More

preferably, the stem cell line is a permanent cell line, distinguished by the characteristics identified above. They preferably have normal karyotype along with the characteristics identified above. This combination of defining properties will identify the cell lines of the invention regardless of the method used for their isolation.

5

Methods of identifying these characteristics may be by any method known to the skilled addressee. Methods such as (but not limited to) indirect immunofluorescence or immunocytochemical staining may be carried out on colonies of ES cells which are fixed by conventional fixation protocols then stained using antibodies against stem cell specific antibodies and visualised using secondary antibodies conjugated to fluorescent dyes or enzymes which can produce insoluble colored products. Alternatively, RNA may be isolated from the stem cells and RT-PCR or Northern blot analysis carried out to determine expression of stem cell specific genes such as Oct-4.

10

In a preferred embodiment the undifferentiated cells form tumours when injected in the testis of immunodeprived SCID mice. These tumours include differentiated cells representative of all three germ layers. The germ layers are preferably endoderm, mesoderm and ectoderm. Preferably, once the tumours are established, they may be disassociated and specific differentiated cell types may be identified or selected by any methods available to the skilled addressee. For instance, lineage specific markers may be used through the use of fluorescent activated cell sorting (FACS) or other sorting method or by direct micro dissection of tissues of interest. These differentiated cells may be used in any manner. They may be cultivated *in vitro* to produce large numbers of differentiated cells which could be used for transplantation or for use in drug screening for example.

25

In another aspect there is provided a differentiated committed progenitor cell line capable of differentiation and propagation into mature neurons and/or glial cells. The undifferentiated cells may differentiate *in vitro* to form neural progenitor cells, neuron cells and/or glial cells.

30

5

In another aspect, there is provided a neural progenitor cell, neuron cell and/or glial cells differentiated *in vitro* from an undifferentiated embryonic stem cell. There is also provided a committed neural progenitor cell capable of giving rise to mature neuron cells.

10

In another aspect, there is provided a neural progenitor cell capable of transdifferentiation into other cell lineages, to generate stem cells and differentiated cells of non-neuronal phenotype, such as hematopoietic stem cells or endothelial stem cells.

TOP SECRET
REF ID: A95420
20

These cells may be obtained by somatic differentiation of human ES cells, identified by neural markers. These cells may be isolated in pure form from differentiating ES cells, *in vitro*, and propagated *in vitro*. They may be induced to undergo differentiation to mature neurons and/or glial cells.

25

The cells may undergo differentiation *in vitro* to yield neural progenitor cells, neuron or glial cells as well as extraembryonic cells, such differentiation being characterised by novel gene expression characteristic of specific lineages as demonstrated by immunocytochemical or RNA analysis. Characterisation may be obtained by using expression of genes characteristic of pluripotent cells or particular lineages. Preferably, differential expression of Oct-4 may be used to identify stem cells from differentiated cells. Otherwise, the presence or absence of expression of other genes characteristic of pluripotent stem cells or other lineages may include Genesis, GDF-3 or Cripto. Analysis of these gene expressions may create a gene expression profile to define the molecular phenotype of an ES cell, a committed progenitor cell, or a mature

30

differentiated cell of any type. Such analysis of specific gene expression in defined populations of cells from ES cultures is called cytomics. Methods of analysis of gene expression profiles include RT-PCR, methods of differential gene expression, microarray analysis or related techniques.

5

Differentiating cultures of the stem cells secrete human chorionic gonadotrophin (hCG) and α -fetoprotein (AFP) into culture medium, as determined by enzyme-linked immunosorbent assay carried out on culture supernatants. Hence this may also serve as a means of identifying the differentiated cells.

10

The differentiated cells forming neural progenitor cells, neuron cells and/or glial cells may also be characterised by expressed markers characteristic of differentiating cells. The *in vitro* differentiated cell culture may be identified by detecting molecules such as markers of the neuroectodermal lineage, markers of neural progenitor cells, neuro-filament proteins, monoclonal antibodies such as MAP2ab, glutamate, synaptophysin, glutamic acid decarboxylase, tyrosine hydroxylase, β -tubulin, β -tubulin III, GABA $A\alpha 2$ receptor, glial fibrillary acidic protein (GFAP), galactocerebroside (gal C), 2', 3'-cyclic nucleotide 3'- phosphodiesterase (CNPase), *plp*, DM-20 and O4.

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95

In another preferred aspect of the present invention there is provided a neural progenitor cell wherein the cell express markers for the neuroectodermal lineage as well as neural markers selected from the group including polysialylated NCAM, nestin, vimentin and the transcriptional factor Pax-6, and do not express Oct-4.

25

Preferably, the cells do not express the transcriptional factor OCT-4. This may be demonstrated by RT-PCR, or methods of analysis of differential gene expression, microarray analysis or related techniques. More preferably the cells will constitute an enriched preparation. They can proliferate *in vitro* for prolonged periods at an undifferentiated neural progenitor state to produce large number of cells. The neural

progenitor cells can differentiate, under differentiating conditions to mature neurons and glial cells.

5 In yet another aspect, the invention provides a neural progenitor cell which is capable of establishing a graft in a recipient brain. Preferably the neural progenitor cell is as described above.

10 Upon transplantation to the developing brain they incorporate extensively into the host brain, undergo region specific differentiation and participate in the development and histogenesis of the living host. This combination of defining properties will identify the neural progenitor cell lines of the invention regardless of the method used for their isolation.

15 In yet another aspect of the present invention, there is provided a glial cell differentiated from a neural progenitor cell. Preferably, the glial cell is an astrocyte or an oligodendrocyte.

20 In a further aspect of the invention, there is provided a method of preparing undifferentiated human embryonic stem cells for differentiation into neural progenitor cells, said method including:

25 obtaining an *in vitro* fertilised human embryo and growing the embryo to a blastocyst stage of development;

removing inner cells mass (ICM) cells from the embryo;

30 culturing ICM cells under conditions which do not induce extraembryonic differentiation and cell death, and promote proliferation of undifferentiated stem cells; and

recovering stem cells.

The stem cells will be undifferentiated cells and can be induced to differentiate when a differentiating signal is applied.

In a preferred embodiment of the present invention there is provided a method of preparing undifferentiated human embryonic stem cells for differentiation into neural progenitor cells, said method including:

5 obtaining an *in vitro* fertilised human embryo;
removing inner cells mass (ICM) cells from the embryo;
culturing ICM cells on a fibroblast feeder layer to promote proliferation of
embryonic stem cells; and
recovering stem cells from the feeder layer.

10
8
8
6
5
Embryonic stem cells (ES) are derived from the embryo. These cells are undifferentiated and have the capability of differentiation to a variety of cell types. The "embryo" is defined as any stage after fertilization up to 8 weeks post conception. It develops from repeated division of cells and includes the stages of a blastocyst stage which comprises an outer trophectoderm and an inner cell mass (ICM).

The embryo required in the present method may be an *in vitro* fertilised embryo or it may be an embryo derived by transfer of a somatic cell or cell nucleus into an enucleated oocyte of human or non human origin which is then activated and allowed to develop to the blastocyst stage.

The embryo may be fertilised by any *in vitro* methods available. For instance, the embryo may be fertilised by using conventional insemination, or intracytoplasmic sperm injection.

25 An embryo that is recovered from cryopreservation is also suitable. An embryo that
has been cryopreserved at any stage of development is suitable. Preferably embryos
that were cryopreserved at the zygote or cleavage stage are used. Any method of
cryopreservation of embryos may be used. It is preferred that a method producing high
30 quality (good morphological grade) embryos is employed.

5

It is preferred that any embryo culture method is employed but it is most preferred that a method producing high quality (good morphological grade) blastocysts is employed. The high quality of the embryo can be assessed by morphological criteria. Most preferably the inner cell mass is well developed. These criteria can be assessed by the skilled addressee.

10

Following insemination, embryos may be cultured to the blastocyst stage. Embryo quality at this stage may be assessed to determine suitable embryos for deriving ICM cells. The embryos may be cultured in any medium that maintains their survival and enhances blastocyst development.

15
20
25

Preferably, the embryos are cultured in droplets under pre-equilibrated sterile mineral oil in IVF-50 or Scandinavian 1 (S1) or G1.2 medium (Scandinavian IVF). Preferably the incubation is for two days. If IVF-50 or S1 is used, on the third day, an appropriate medium such as a mixture of 1:1 of IVF-50 and Scandinavian-2 medium (Scandinavian IVF) may be used. From at least the fourth day, a suitable medium such as G2.2 or Scandinavian-2 (S2) medium may be used solely to grow the embryos to blastocyst stage (blastocysts). Preferably, only G2.2 medium is used from the fourth day onwards.

25

In a preferred embodiment, the blastocyst is subjected to enzymatic digestion to remove the zona pellucida or a portion thereof. Preferably the blastocyst is subjected to the digestion at an expanded blastocyst stage which may be approximately on day 6. Generally this is at approximately six days after insemination.

30

Any protein enzyme may be used to digest the zona pellucida or portion thereof from the blastocyst. Examples include pronase, acid Tyrodes solution, and mechanical methods such as laser dissection.

5

Preferably, Pronase is used. The pronase may be dissolved in PBS and G2 or S2 medium. Preferably the PBS and Scandinavian-2 medium is diluted 1:1. For digestion of zona pellucida from the blastocyst, approximately 10 units/ml of Pronase may be used for a period sufficient to remove the zona pellucida. Preferably approximately 1 to 2 mins, more preferably 1 to 1.5 mins is used.

10

The embryo (expanded blastocyst) may be washed in G2.2 or S2 medium, and further incubated to dissolve the zona pellucida. Preferably, further digestion steps may be used to completely dissolve the zona. More preferably the embryos are further incubated in pronase solution for 15 seconds. Removal of the zona pellucida thereby exposes the trophectoderm.

15
20
25
30

In a preferred embodiment of the invention the method further includes the following steps to obtain the inner cell mass cell, said steps including:

treating the embryo to dislodge the trophectoderm of the embryo or a portion thereof;

washing the embryo with a G2.2 or S2 medium to dislodge the trophectoderm or a portion thereof; and

obtaining inner cell mass cells of the embryo.

25

30

Having had removed the zona pellucida, the ICM and trophectoderm become accessible. Preferably the trophectoderm is separated from the ICM. Any method may be employed to separate the trophectoderm from the ICM. Preferably the embryo (or blastocyst devoid of zona pellucida) is subjected to immuno-surgery. Preferably it is treated with an antibody or antiserum reactive with epitopes on the surface of the trophectoderm. More preferably, the treatment of the embryo, (preferably an embryo at the blastocyst stage devoid of zona pellucida) is combined with treatment with complement. The antibody and/or antiserum and complement treatment may be used separately or together. Preferred combinations of antibody and/or antiserum and complement include anti-placental alkaline phosphatase antibody and Baby Rabbit

5

complement (Serotec) or anti-human serum antibody (Sigma) combined with Guinea Pig complement (Gibco).

Preferably the antibodies and complement are diluted in G2.2 or S2 medium. The antibodies and complement, excluding anti-placental alkaline phosphate (anti-AP) are diluted 1:5 whereas anti-AP antibody is diluted 1:20 with S-2 medium.

10

Preferably the embryo or blastocyst (preferably having the zona pellucida removed) is subjected to the antibody before it is subjected to the complement. Preferably, the embryo or blastocyst is cultured in the antibody for a period of approximately 30 mins.

20

Following the antibody exposure, it is preferred that the embryo is washed. Preferably it is washed in G2.2 or S2 medium. The embryo or blastocyst preferably is then subjected to complement, preferably for a period of approximately 30 mins.

25

G2.2 or S2 (Scandinavian-2) medium is preferably used to wash the embryo or blastocyst to dislodge the trophectoderm or a portion thereof. Dislodgment may be by mechanical means. Preferably the dislodgment is by pipetting the blastocyst through a small bore pipette.

The ICM cells may then be exposed and ready for removal and culturing. Culturing of the ICM cells may be conducted on a fibroblast feeder layer. In the absence of a fibroblast feeder layer, the cells will differentiate. Leukaemia inhibitory factor (LIF) has been shown to replace the feeder layer in some cases and maintain the cells in an undifferentiated state. However, this seems to only work for mouse cells. For human cells, high concentrations of LIF were unable to maintain the cells in an undifferentiated state in the absence of a fibroblast feeder layer.

TOP SECRET
REF ID: A65205

5

The conditions which do not induce extraembryonic differentiation and cell death may include cultivating the embryonic stem cells on a fibroblast feeder layer which does not induce extraembryonic differentiation and cell death.

10

Mouse or human fibroblasts are preferably used. They may be used separately or in combination. Human fibroblasts provide support for stem cells, but they create a non-even and sometimes non-stable feeder layer. However, they may combine effectively with mouse fibroblasts to obtain an optimal stem cell growth and inhibition of differentiation.

25

The cell density of the fibroblast layer affects its stability and performance. A density of approximately 25,000 human and 70,000 mouse cells per cm^2 is most preferred. Mouse fibroblasts alone are used at 75,000-100,000/ cm^2 . The feeder layers are preferably established 6-48 hours prior to addition of ES or ICM cells.

30

Preferably the mouse or human fibroblast cells are low passage number cells. The quality of the fibroblast cells affects their ability to support the stem cells. Embryonic fibroblasts are preferred. For mouse cells, they may be obtained from 135 day old foetuses. Human fibroblasts may be derived from embryonic or foetal tissue from termination of pregnancy and may be cultivated using standard protocols of cell culture.

The guidelines for handling the mouse embryonic fibroblasts may include minimising the use of trypsin digestion and avoidance of overcrowding in the culture. Embryonic fibroblasts that are not handled accordingly will fail to support the growth of undifferentiated ES cells. Each batch of newly derived mouse embryonic fibroblasts is tested to confirm its suitability for support and maintenance of stem cells.

Fresh primary embryonic fibroblasts are preferred in supporting stem cell renewal and/or induction of somatic differentiation as compared to frozen-thawed fibroblasts.

5

Nevertheless, some batches will retain their supportive potential after repeated freezing and thawing. Therefore each fresh batch that has proved efficient in supporting ES cells renewal and/or induction of somatic differentiation is retested after freezing and thawing. Batches that retain their potential after freezing and thawing are most preferably used. Batches are tested to determine suitability for the support of stem cell renewal, the induction of somatic differentiation or the induction of extraembryonic differentiation.

10

Some mouse strains yield embryonic fibroblasts which are more suitable for stem cell maintenance and induction of somatic differentiation than those of other strains. For example, fibroblasts derived from inbred 129/Sv or CBA mice or mice from a cross of 129/Sv with C57/Bl6 strains have proven highly suitable for stem cell maintenance.

20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1

Isolated ICM masses may be plated and grown in culture conditions suitable for human stem cells.

It is preferred that the feeder cells are treated to arrest their growth. Several methods are available. It is preferred that they are irradiated or are treated with chemicals such as mitomycin C which arrests their growth. Most preferably, the fibroblast feeder cells are treated with mitomycin C (Sigma).

The fibroblast feeder layer maybe generally plated on a gelatin treated dish. Preferably, the tissue culture dish is treated with 0.1% gelatin.

25

The fibroblast feeder layer may also contain modified fibroblasts. For instance, fibroblasts expressing recombinant membrane bound factors essential for stem cell renewal may be used. Such factors may include for example human multipotent stem cell factor.

Inner cell mass cells may be cultured on the fibroblast feeder layer and maintained in an ES medium. A suitable medium is DMEM (GIBCO, without sodium pyruvate, with glucose 4500mg/L) supplemented with 20% FBS (Hyclone, Utah), (betamercaptoethanol - 0.1mM (GIBCO), non essential amino acids - NEAA 1% (GIBCO), glutamine 2mM. (GIBCO), and penicillin 50 μ ml, streptomycin 50 μ g/ml (GIBCO). In the early stages of ES cell cultivation, the medium maybe supplemented with human recombinant leukemia inhibitory factor hLIF preferably at 2000 μ ml. However, LIF generally is not necessary. Any medium may be used that can support the ES cells.

The ES medium may be further supplemented with soluble growth factors which promote stem cell growth or survival or inhibit stem cell differentiation. Examples of such factors include human multipotent stem cell factor, or embryonic stem cell renewal factor.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95

The isolated ICM may be cultured for at least six days. At this stage, a colony of cells develops. This colony is comprised principally of undifferentiated stem cells. They may exist on top of differentiated cells. Isolation of the undifferentiated cells may be achieved by chemical or mechanical means or both. Preferably mechanical isolation and removal by a micropipette is used. Mechanical isolation may be combined with a chemical or enzymatic treatment to aid with dissociation of the cells, such as Ca²⁺/Mg²⁺ free PBS medium or dispase.

In a further preferred embodiment of the invention, the method further includes:
replating the stem cells from the fibroblast feeder layer onto another fibroblast feeder layer; and
culturing the stem cells for a period sufficient to obtain proliferation of morphologically undifferentiated stem cells.

A further replating of the undifferentiated stem cells is performed. The isolated clumps of cells from the first fibroblast feeder layer may be replated on fresh human/mouse fibroblast feeder layer in the same medium as described above.

5 Preferably, the cells are cultured for a period of 7-14 days. After this period, colonies of undifferentiated stem cells may be observed. The stem cells may be morphologically identified preferably by the high nuclear/cytoplasmic ratios, prominent nucleoli and compact colony formation. The cell borders are often distinct and the colonies are often flatter than mouse ES cells. The colonies resemble those formed by pluripotent human embryonal carcinoma cell lines such as GCT 27 X-1.

10

In another embodiment of the invention, the method further includes propagating the undifferentiated stem cells. The methods of propagation may initially involve removing clumps of undifferentiated stem cells from colonies of cells. The dispersion is preferably by chemical or mechanical means or both. More preferably, the cells are washed in a $\text{Ca}^{2+}/\text{Mg}^{2+}$ free PBS or they are mechanically severed from the colonies or a combination of these methods or any known methods available to the skilled addressee. In these methods, cells may be propagated as clumps of about 100 cells about every 7 days.

20
25 In the first method, $\text{Ca}^{2+}/\text{Mg}^{2+}$ free PBS medium may be used to reduce cell-cell attachments. Following about 15-20 minutes, cells gradually start to dissociate from the monolayer and from each other and desired size clumps can be isolated. When cell dissociation is partial, mechanical dissociation using the sharp edge of the pipette may assist with cutting and the isolation of the clumps.

An alternative chemical method may include the use of an enzyme. The enzyme may be used alone or in combination with a mechanical method. Preferably, the enzyme is dispase.

30

5

10

25
30
35
40
45
50
55
60
65
70
75
80
85
90
95

An alternative approach includes the combined use of mechanical cutting of the colonies followed by isolation of the subcolonies by dispase. Cutting of the colonies may be performed in PBS containing Ca^{2+} and Mg^{2+} . The sharp edge of a micropipette may be used to cut the colonies to clumps of about 100 cells. The pipette may be used to scrape and remove areas of the colonies. The PBS is preferably changed to regular equilibrated human stem cell medium containing dispase (Gibco) 10 mg/ml and incubated for approximately 5 minutes at 37°C in a humidified atmosphere containing 5% CO_2 . As soon as the clumps detached they may be picked up by a wide bore micro-pipette, washed in PBS containing Ca^{2+} and Mg^{2+} and transferred to a fresh fibroblast feeder layer.

The fibroblast feeder layer may be as described above.

Undifferentiated embryonic stem cells have a characteristic morphology as described above. Other means of identifying the stem cells may be by cell markers or by measuring expression of genes characteristic of pluripotent cells.

Examples of genes characteristic of pluripotent cells or particular lineages may include (but are not limited to) Oct-4 and Pax-6, polysialylated NCAM, nestin and vimentin as markers of stem cells and neuronal precursors respectively. Other genes characteristic of stem cells may include Genesis, GDF-3 and Cripto. CD-34 is characteristic of hematopoietic stem cells and flk-1 is expressed by the hemangioblast. Such gene expression profiles may be attained by any method including RT-PCR, methods of differential gene expression, microarray analysis or related techniques.

25

Preferably the stem cells may be identified by being immunoreactive with markers for human pluripotent stem cells including SSEA-4, GCTM-2 antigen, TRA 1-60. Preferably the cells express the transcription factor Oct-4. The cells also maintain a diploid karyotype.

30

5

10

Preferably the neural progenitor cells are identified by expressed markers of primitive neuroectoderm and neural stem cells such as polysialylated N-CAM, intermediate filament proteins such as nestin and vimentin and the transcription factor Pax-6. Neurons may be identified by structural markers such as β -tubulin, β -tubulin III, the 68kDa and the 200kDa neurofilament proteins. Mature neurons may also be identified by the 160 kDa neurofilament proteins, Map-2a, b and synaptophysin, glutamate, tyrosine hydroxylase, GABA biosynthesis and receptor subunits characteristic of GABA minergic neurons (GABA A α 2). Astrocytes may be identified by the expression of glial fibrillary acidic protein (GFAP), and oligodendrocyte by galactocerebroside (gal C), 2', 3'- cyclic nucleotide 3'- phosphodiesterase (CNPase), *plp*, DM-20 and O4.

15
20
25

The stem cells may be further modified at any stage of isolation. They may be genetically modified through introduction of vectors expressing a selectable marker under the control of a stem cell specific promoter such as Oct-4. Some differentiated progeny of embryonic stem cells may produce products which are inhibitory to stem cell renewal or survival. Therefore selection against such differentiated cells, facilitated by the introduction of a construct such as that described above, may promote stem cell growth and prevent differentiation.

20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995
1000
1005
1010
1015
1020
1025
1030
1035
1040
1045
1050
1055
1060
1065
1070
1075
1080
1085
1090
1095
1100
1105
1110
1115
1120
1125
1130
1135
1140
1145
1150
1155
1160
1165
1170
1175
1180
1185
1190
1195
1200
1205
1210
1215
1220
1225
1230
1235
1240
1245
1250
1255
1260
1265
1270
1275
1280
1285
1290
1295
1300
1305
1310
1315
1320
1325
1330
1335
1340
1345
1350
1355
1360
1365
1370
1375
1380
1385
1390
1395
1400
1405
1410
1415
1420
1425
1430
1435
1440
1445
1450
1455
1460
1465
1470
1475
1480
1485
1490
1495
1500
1505
1510
1515
1520
1525
1530
1535
1540
1545
1550
1555
1560
1565
1570
1575
1580
1585
1590
1595
1600
1605
1610
1615
1620
1625
1630
1635
1640
1645
1650
1655
1660
1665
1670
1675
1680
1685
1690
1695
1700
1705
1710
1715
1720
1725
1730
1735
1740
1745
1750
1755
1760
1765
1770
1775
1780
1785
1790
1795
1800
1805
1810
1815
1820
1825
1830
1835
1840
1845
1850
1855
1860
1865
1870
1875
1880
1885
1890
1895
1900
1905
1910
1915
1920
1925
1930
1935
1940
1945
1950
1955
1960
1965
1970
1975
1980
1985
1990
1995
2000
2005
2010
2015
2020
2025
2030
2035
2040
2045
2050
2055
2060
2065
2070
2075
2080
2085
2090
2095
2100
2105
2110
2115
2120
2125
2130
2135
2140
2145
2150
2155
2160
2165
2170
2175
2180
2185
2190
2195
2200
2205
2210
2215
2220
2225
2230
2235
2240
2245
2250
2255
2260
2265
2270
2275
2280
2285
2290
2295
2300
2305
2310
2315
2320
2325
2330
2335
2340
2345
2350
2355
2360
2365
2370
2375
2380
2385
2390
2395
2400
2405
2410
2415
2420
2425
2430
2435
2440
2445
2450
2455
2460
2465
2470
2475
2480
2485
2490
2495
2500
2505
2510
2515
2520
2525
2530
2535
2540
2545
2550
2555
2560
2565
2570
2575
2580
2585
2590
2595
2600
2605
2610
2615
2620
2625
2630
2635
2640
2645
2650
2655
2660
2665
2670
2675
2680
2685
2690
2695
2700
2705
2710
2715
2720
2725
2730
2735
2740
2745
2750
2755
2760
2765
2770
2775
2780
2785
2790
2795
2800
2805
2810
2815
2820
2825
2830
2835
2840
2845
2850
2855
2860
2865
2870
2875
2880
2885
2890
2895
2900
2905
2910
2915
2920
2925
2930
2935
2940
2945
2950
2955
2960
2965
2970
2975
2980
2985
2990
2995
3000
3005
3010
3015
3020
3025
3030
3035
3040
3045
3050
3055
3060
3065
3070
3075
3080
3085
3090
3095
3100
3105
3110
3115
3120
3125
3130
3135
3140
3145
3150
3155
3160
3165
3170
3175
3180
3185
3190
3195
3200
3205
3210
3215
3220
3225
3230
3235
3240
3245
3250
3255
3260
3265
3270
3275
3280
3285
3290
3295
3300
3305
3310
3315
3320
3325
3330
3335
3340
3345
3350
3355
3360
3365
3370
3375
3380
3385
3390
3395
3400
3405
3410
3415
3420
3425
3430
3435
3440
3445
3450
3455
3460
3465
3470
3475
3480
3485
3490
3495
3500
3505
3510
3515
3520
3525
3530
3535
3540
3545
3550
3555
3560
3565
3570
3575
3580
3585
3590
3595
3600
3605
3610
3615
3620
3625
3630
3635
3640
3645
3650
3655
3660
3665
3670
3675
3680
3685
3690
3695
3700
3705
3710
3715
3720
3725
3730
3735
3740
3745
3750
3755
3760
3765
3770
3775
3780
3785
3790
3795
3800
3805
3810
3815
3820
3825
3830
3835
3840
3845
3850
3855
3860
3865
3870
3875
3880
3885
3890
3895
3900
3905
3910
3915
3920
3925
3930
3935
3940
3945
3950
3955
3960
3965
3970
3975
3980
3985
3990
3995
4000
4005
4010
4015
4020
4025
4030
4035
4040
4045
4050
4055
4060
4065
4070
4075
4080
4085
4090
4095
4100
4105
4110
4115
4120
4125
4130
4135
4140
4145
4150
4155
4160
4165
4170
4175
4180
4185
4190
4195
4200
4205
4210
4215
4220
4225
4230
4235
4240
4245
4250
4255
4260
4265
4270
4275
4280
4285
4290
4295
4300
4305
4310
4315
4320
4325
4330
4335
4340
4345
4350
4355
4360
4365
4370
4375
4380
4385
4390
4395
4400
4405
4410
4415
4420
4425
4430
4435
4440
4445
4450
4455
4460
4465
4470
4475
4480
4485
4490
4495
4500
4505
4510
4515
4520
4525
4530
4535
4540
4545
4550
4555
4560
4565
4570
4575
4580
4585
4590
4595
4600
4605
4610
4615
4620
4625
4630
4635
4640
4645
4650
4655
4660
4665
4670
4675
4680
4685
4690
4695
4700
4705
4710
4715
4720
4725
4730
4735
4740
4745
4750
4755
4760
4765
4770
4775
4780
4785
4790
4795
4800
4805
4810
4815
4820
4825
4830
4835
4840
4845
4850
4855
4860
4865
4870
4875
4880
4885
4890
4895
4900
4905
4910
4915
4920
4925
4930
4935
4940
4945
4950
4955
4960
4965
4970
4975
4980
4985
4990
4995
5000
5005
5010
5015
5020
5025
5030
5035
5040
5045
5050
5055
5060
5065
5070
5075
5080
5085
5090
5095
5100
5105
5110
5115
5120
5125
5130
5135
5140
5145
5150
5155
5160
5165
5170
5175
5180
5185
5190
5195
5200
5205
5210
5215
5220
5225
5230
5235
5240
5245
5250
5255
5260
5265
5270
5275
5280
5285
5290
5295
5300
5305
5310
5315
5320
5325
5330
5335
5340
5345
5350
5355
5360
5365
5370
5375
5380
5385
5390
5395
5400
5405
5410
5415
5420
5425
5430
5435
5440
5445
5450
5455
5460
5465
5470
5475
5480
5485
5490
5495
5500
5505
5510
5515
5520
5525
5530
5535
5540
5545
5550
5555
5560
5565
5570
5575
5580
5585
5590
5595
5600
5605
5610
5615
5620
5625
5630
5635
5640
5645
5650
5655
5660
5665
5670
5675
5680
5685
5690
5695
5700
5705
5710
5715
5720
5725
5730
5735
5740
5745
5750
5755
5760
5765
5770
5775
5780
5785
5790
5795
5800
5805
5810
5815
5820
5825
5830
5835
5840
5845
5850
5855
5860
5865
5870
5875
5880
5885
5890
5895
5900
5905
5910
5915
5920
5925
5930
5935
5940
5945
5950
5955
5960
5965
5970
5975
5980
5985
5990
5995
6000
6005
6010
6015
6020
6025
6030
6035
6040
6045
6050
6055
6060
6065
6070
6075
6080
6085
6090
6095
6100
6105
6110
6115
6120
6125
6130
6135
6140
6145
6150
6155
6160
6165
6170
6175
6180
6185
6190
6195
6200
6205
6210
6215
6220
6225
6230
6235
6240
6245
6250
6255
6260
6265
6270
6275
6280
6285
6290
6295
6300
6305
6310
6315
6320
6325
6330
6335
6340
6345
6350
6355
6360
6365
6370
6375
6380
6385
6390
6395
6400
6405
6410
6415
6420
6425
6430
6435
6440
6445
6450
6455
6460
6465
6470
6475
6480
6485
6490
6495
6500
6505
6510
6515
6520
6525
6530
6535
6540
6545
6550
6555
6560
6565
6570
6575
6580
6585
6590
6595
6600
6605
6610
6615
6620
6625
6630
6635
6640
6645
6650
6655
6660
6665
6670
6675
6680
6685
6690
6695
6700
6705
6710
6715
6720
6725
6730
6735
6740
6745
6750
6755
6760
6765
6770
6775
6780
6785
6790
6795
6800
6805
6810
6815
6820
6825
6830
6835
6840
6845
6850
6855
6860
6865
6870
6875
6880
6885
6890
6895
6900
6905
6910
6915
6920
6925
6930
6935
6940
6945
6950
6955
6960
6965
6970
6975
6980
6985
6990
6995
7000
7005
7010
7015
7020
7025
7030
7035
7040
7045
7050
7055
7060
7065
7070
7075
7080
7085
7090
7095
7100
7105
7110
7115
7120
7125
7130
7135
7140
7145
7150
7155
7160
7165
7170
7175
7180
7185
7190
7195
7200
7205
7210
7215
7220
7225
7230
7235
7240
7245
7250
7255
7260
7265
7270
7275
7280
7285
7290
7295
7300
7305
7310
7315
7320
7325
7330
7335
7340
7345
7350
7355
7360
7365
7370
7375
7380
7385
7390
7395
7400
7405
7410
7415
7420
7425
7430
7435
7440
7445
7450
7455
7460
7465
7470
7475
7480
7485
7490
7495
7500
7505
7510
7515
7520
7525
7530
7535
7540
7545
7550
7555
7560
7565
7570
7575
7580
7585
7590
7595
7600
7605
7610
7615
7620
7625
7630
7635
7640
7645
7650
7655
7660
7665
7670
7675
7680
7685
7690
7695
7700
7705
7710
7715
7720
7725
7730
7735
7740
7745
7750
7755
7760
7765
7770
7775
7780
7785
7790
7795
7800
7805
7810
7815
7820
7825
7830
7835
7840
7845
7850
7855
7860
7865
7870
7875
7880
7885
7890
7895
7900
7905
7910
7915
7920
7925
7930
7935
7940
7945
7950
7955
7960
7965
7970
7975
7980
7985
7990
7995
8000
8005
8010
8015
8020
8025
8030
8035
8040
8045
8050
8055
8060
8065
8070
8075
8080
8085
8090
8095
8100
8105
8110
8115
8120
8125
8130
8135
8140
8145
8150
8155
8160
8165
8170
8175
8180
8185
8190
8195
8200
8205
8210
8215
8220
8225
8230
8235
8240
8245
8250
8255
8260
8265
8270
8275
8280
8285
8290
8295
8300
8305
8310
8315
8320
8325
8330
8335
8340
8345
8350
8355
8360
8365
8370
8375
8380
8385
8390
8395
8400
8405
8410
8415
8420
8425
8430
8435
8440
8445
8450
8455
8460
8465
8470
8475
8480
8485
8490
8495
8500
8505
8510
8515
8520
8525
8530
8535
8540
8545
8550
8555
8560
8565
8570
8575
8580
8585
8590
8595
8600
8605
8610
8615
8620
8625
8630
8635
8640
8645
8650
8655
8660
8665
8670
8675
8680
8685
8690
8695
8700
8705
8710
8715
8720
8725
8730
8735
8740
8745
8750
8755
8760
8765
8770
8775
8780
8785
8790
8795
8800
8805
8810
8815
8820
8825
8830
8835
8840
8845
8850
8855
8860
8865
8870
8875
8880
8885
8890
8895
8900
8905
8910
8915
8920
8925
8930
8935
8940
8945
8950
8955
8960
8965
8970
8975
8980
8985
8990
8995
9000
9005
9010
9015
9020
9025
9030
9035
9040
9045
9050
9055
9060
9065
9070
9075
9080
9085
9090
9095
9100
9105
9110
9115
9120
9125
9130
9135
9140
9145
9150
9155
9160
9165
9170
9175
9180
9185
9190
9195
9200
9205
9210
9215
9220
9225
9230
9235
92

5

Progress of the stem cells and their maintenance in a differentiated or undifferentiated stage may be monitored in a quantitative fashion by the measurement of stem cell specific secreted products into the culture medium or in fixed preparations of the cells using ELISA or related techniques. Such stem cell specific products might include the soluble form of the CD30 antigen or the GCTM-2 antigen or they may be monitored as described above using cell markers or gene expression.

10

In another aspect of the invention there is provided a method of inducing somatic differentiation of stem cells *in vitro* into progenitor cells said method comprising:

obtaining undifferentiated stem cells; and
providing a differentiating signal under conditions which are non-permissive for stem cell renewal, do not kill cells and/or induces unidirectional differentiation toward extraembryonic lineages.

15
20
25

The undifferentiated cell lines of the present invention may be cultured indefinitely until a differentiating signal is given.

In the presence of a differentiation signal, undifferentiated ES cells in the right conditions will differentiate into derivatives of the embryonic germ layers (endoderm, mesoderm and ectoderm) such as neuron tissue, and/or extraembryonic tissues. This differentiation process can be controlled.

25

This method is useful for directing stem cells to differentiate toward a somatic lineage. Furthermore, the method allows the establishment of a pure preparation of progenitor cells from a desired lineage and the elimination of unwanted differentiated cells from other lineages. The method facilitates the establishment of a pure somatic progenitor cell line.

30

The method may be used to derive an enriched preparation of a variety of somatic progenitors such as but not limited to mesodermal progenitors (such as hemangioblast

or hematopoietic stem cells) and neural progenitors. Preferably the method is used to derive neural progenitors.

5 Conditions for obtaining differentiated cultures of somatic cells from embryonic stem cells are those which are non-permissive for stem cell renewal, but do not kill stem cells or drive them to differentiate exclusively into extraembryonic lineages. A gradual withdrawal from optimal conditions for stem cell growth favours somatic differentiation. The stem cells are initially in an undifferentiated state and can be induced to differentiate.

10

In a preferred embodiment of the present invention, there is provided a method of inducing somatic differentiation of stem cells *in vitro* into progenitor cells, said method comprising:

obtaining undifferentiated stem cells; and
culturing said cells for prolonged periods and at high density on a fibroblast feeder cell layer to induce differentiation.

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95

In another preferred embodiment of the present invention, there is provided a method of inducing somatic differentiation of stem cells *in vitro* into progenitor cells, said method comprising:

obtaining undifferentiated stem cells; and
transferring said cells into serum free media to induce differentiation.

25 The stem cells may be undifferentiated stem cells and derived from any source or process which provides viable undifferentiated stem cells. The methods described above for retrieving stem cells from embryos is most preferred.

In these preferred aspects, the conditions of culturing the cells at high density on a fibroblast feeder cell layer or transferring to a serum free medium are intended to be

non-permissive for stem cell renewal or cause uni-directional differentiation toward extraembryonic lineages.

5 Generally the presence of a fibroblast feeder layer will maintain these cells in an undifferentiated state. This has been found to be the case with the cultivation of mouse and human ES cells. However, without being restricted by theory, it has now become evident that the type and handling of the fibroblast feeder layer is important for maintaining the cells in an undifferentiated state or inducing differentiation of the stem cells.

10

Suitable fibroblast feeder layers are discussed above.

15
20
25
30

Somatic differentiation *in vitro* of the ES cell lines is a function of the period of cultivation following subculture, the density of the culture, and the fibroblast feeder cell layer. It has been found that somatic differentiation may be detected as early as the first week after subculture and is morphologically apparent and demonstrable by immunochemistry approximately 14 days following routine subcultivation as described above in areas of the colony which are remote from direct contact with the feeder cell layer (in contrast to areas adjacent to the feeder cell layer where rapid stem cell growth is occurring such as the periphery of a colony at earlier time points after subcultivation), or in cultures which have reached confluence. Depending upon the method of preparation and handling of the mouse embryo fibroblasts, the mouse strain from which the fibroblasts are derived, and the quality of a particular batch, stem cell renewal, extraembryonic differentiation or somatic differentiation may be favoured.

25

30

Once a suitable fibroblast cell line is selected, it may be used as a differentiation inducing fibroblast feeder layer to induce the undifferentiated stem cells to differentiate into a somatic lineage or multiple somatic lineages. These may be identified using markers or gene expression as described above. Preferably the fibroblast feeder layer does not induce extraembryonic differentiation and cell death.

The modulation of stem cell growth by appropriate use of fibroblast feeder layer and manipulation of the culture conditions thus provides an example whereby somatic differentiation may be induced *in vitro* concomitant with the limitation of stem cell renewal without the induction of widespread cell death or extraembryonic differentiation.

Other manipulations of the culture conditions such as culturing in various compositions of serum free medium may be used to arrest stem cell renewal without causing stem cell death or unidirectional extraembryonic differentiation, thereby favouring differentiation of somatic cells.

Differentiation may also be induced by culturing to a high density in monolayer or on semi-permeable membranes so as to create structures mimicing the postimplantation phase of human development, or any modification of this approach. Cultivation in the presence of cell types representative of those known to modulate growth and differentiation in the vertebrate embryo (eg. endoderm cells or cells derived from normal embryonic or neoplastic tissue) or in adult tissues (eg. bone marrow stromal preparation) may also induce differentiation, modulate differentiation or induce maturation of cells within specific cell lineage so as to favour the establishment of particular cell lineages.

Chemical differentiation may also be used to induce differentiation. Propagation in the presence of soluble or membrane bound factors known to modulate differentiation of vertebrate embryonic cells, such as bone morphogenetic protein-2 or antagonists of such factors, may be used.

Applicants have found that Oct-4 is expressed in stem cells and down-regulated during differentiation and this strongly indicates that stem cell selection using drug resistance genes driven by the Oct-4 promoter will be a useful avenue for manipulating human

ES cells. Directed differentiation using growth factors, or the complementary strategy of lineage selection coupled with growth factor enhancement could enable the selection of populations of pure committed progenitor cells from spontaneously differentiating cells generated as described here.

5

10

Genetic modification of the stem cells or further modification of those genetically modified stem cells described above may be employed to control the induction of differentiation. Genetic modification of the stem cells so as to introduce a construct containing a selectable marker under the control of a promoter expressed only in specific cell lineages, followed by treatment of the cells as described above and the subsequent selection for cells in which that promoter is active may be used.

0
5
10
15
20
25
30

Once the cells have been induced to differentiate, the various cell types, identified by means described above, may be separated and selectively cultivated. Preferably neural progenitor cells are selected. These progenitors are capable of differentiating into neuron cells and/or glial cells. More preferably, they will differentiate into neuron cells and/or glial cells in the absence of other differentiated cells such as those from the extra embryonic lineage.

25

30

Selective cultivation means isolation of specific lineages of progenitors or mature differentiated cells from mixed populations preferably appearing under conditions unfavourable for stem cell growth and subsequent propagation of these specific lineages. Selective cultivation may be used to isolate populations of mature cells or populations of lineage specific committed progenitor cells. Isolation may be achieved by various techniques in cell biology including the following alone or in combination: microdissection; immunological selection by labelling with antibodies against epitopes expressed by specific lineages of differentiated cells followed by direct isolation under fluorescence microscopy, panning, immunomagnetic selection, or selection by flow cytometry; selective conditions favouring the growth or adhesion of specific cell lineages such as exposure to particular growth or extracellular matrix factors or

selective cell-cell adhesion; separation on the basis of biophysical properties of the cells such as density; disaggregation of mixed populations of cells followed by isolation and cultivation of small clumps of cells or single cells in separate culture vessels and selection on the basis of morphology, secretion of marker proteins, antigen expression, growth properties, or gene expression; lineage selection using lineage specific promoter constructs driving selectable markers or other reporters.

The derivation of neural progenitors from ES cells, and even further more, the establishment of a pure neural progenitor cell line is described below as proof of the above principles. The following description is illustrative of neural progenitor cells as somatic cells differentiated from stem cells and should not be taken as a restriction on the generality of the invention. It should be noted that the method may be used to derive an enriched preparation of a variety of somatic progenitors such as but not limited to mesodermal progenitors such as hemangioblast or hematopoietic stem cells or neural progenitors.

The establishment of neural progenitor cells from embryonic stem cells and more preferably a pure preparation of neural progenitor cells and even more preferably a neural progenitor cell line may be achieved by any one or combination of the following approaches.

In one preferred approach, somatic differentiation of ES cells is induced by prolonged culture of ES cells to high density on an appropriate fibroblast feeder layer that prevents unidirectional differentiation towards extraembryonic lineage and promotes somatic differentiation. Once the cells have been induced to differentiate toward somatic lineages, areas which are destined to give rise to clusters of mainly neural progenitor cells may be identified based on characteristic morphological features as described above. The size and demarcation of these areas may be enhanced by replacing the growth medium with serum free medium supplemented with EGF and

5

bFGF. The areas are separated mechanically and replated in serum-free medium, whereupon they form spherical structures.

Any serum free medium may be used. Preferably NS-A (Euroclone) or DMEM/F12 (Gibco) is used. More preferably NS-A or DMEM/F12 supplemented with N2 or B27 (Gibco) is used. Most preferably DMEM/F12 supplemented with B27 is used.

10

In the presence of an appropriate supplement of growth factors such as but not limited to, EGF and basic FGF to the serum free medium, the neural progenitors may be cultivated and expanded to establish a cell line. The growth factors inhibit further differentiation of the progenitor cells and promote their proliferation.

The culture in the serum free medium and preferably growth factors is selective and therefore limits prolonged proliferation of other types of differentiated cells such as the progeny of the extraembryonic lineage or definitive endoderm that may coexist in the culture. Therefore the cultivation in these selective conditions may be used to establish an enriched cell line of neural progenitors.

The progenitors may be cultivated as spheres or as a monolayer. Subculturing may be conducted mechanically. Scraping is preferred to propagate monolayer cultures. However, any mechanical method such as titration or cutting may be used to subculture the spheres. Most preferably the spheres are sliced into smaller clumps. The progenitors may be expanded to produce a large number of cells.

25

In another preferred approach, the method involves the transfer of undifferentiated stem cells into culture conditions that on one hand direct differentiation toward a desired somatic lineage, which is the neural lineage in this case, while on the other hand are selective and therefore limit both the differentiation toward unwanted lineages (such as extraembryonic lineages or endoderm) as well as the survival of differentiated cells from these lineages. Such culture conditions include the transfer

30

5

into serum free media (as described above) that may be supplemented with growth factors including but not limited to bFGF and EGF. The serum free media promotes differentiation towards the neuroectodermal lineage (and possibly other non-neural lineages such as mesoderm). The serum free media may limit the growth and survival of unwanted cells such as those from the extraembryonic or endodermal lineages.

10

Growth factors that are added to the medium may promote the proliferation and the cultivation of the desired somatic progenitors such as neural progenitors. The selective culture conditions further eliminate during cultivation, unwanted differentiated cells from other lineages such as extraembryonic lineages. The method may be used to derive a pure preparation and/or a pure cell line of a variety of somatic progenitors including, but not limited to, neural progenitor and mesodermal progenitors such as hemangioblast or hematopoietic stem cells.

15
20
25
30

Preferably, in the derivation of an enriched cell line of neural progenitors, clumps of undifferentiated stem cells may be transferred into plastic tissue culture dishes containing serum free medium. The serum free medium induces the differentiation of the ES cells initially towards ectoderm and then towards the neuroectodermal lineage.

25

Any serum free medium may be used. Preferably NS-A medium (Euroclone) or DMEM/F12 is used. More preferably the serum free medium is supplemented with N2 or B27 (Gibco). Most preferably the medium is DMEM/F12 supplemented with B27. The clusters of undifferentiated stem cells turn into round spheres within approximately 24 hours after transfer (Figure 9).

30

The serum free medium may be further supplemented with basic FGF and EGF to promote proliferation of neural progenitors in an undifferentiated state. The

progenitors may be cultivated under these conditions for prolonged periods. The selective conditions that are induced by the serum free medium and growth factors result in a gradual purification and elimination of other differentiated cell types during cultivation.

5

The progenitors may be cultivated as spheres or as a monolayer. Subculturing may be conducted mechanically. Scraping is preferred to propagate monolayer cultures. Any mechanical method known to the skilled addressee such as tituration or cutting may be used to subculture the spheres. Most preferably the spheres are sliced into smaller clumps. The progenitors may be expanded to produce a large number of cells .

10

The progenitors that are generated directly from undifferentiated stem cells have similar properties to the neural progenitors that are generated from differentiating stem cells colonies. They express the same markers of primitive neuroectoderm and neural progenitor cells, such as polysialylated NCAM, the intermediate filament protein nestin, Vimentin and the transcription factor Pax-6. They do not express the transcriptional factor oct-4. They have a similar growth potential. They generate differentiated neural cells with similar morphology and marker expression after plating on appropriate substrate and withdrawal of growth factors.

TOP SECRET 054525222020

In another aspect of the invention, there is provided a method of inducing somatic cells from embryonic stem cell derived somatic progenitors, said method comprising:

25

obtaining a source of embryonic stem cell derived somatic progenitor cells;

culturing the progenitor cells on an adhesive substrate; and

inducing the cells to differentiate to somatic cells under conditions which favour somatic differentiation.

30

The source of embryonic stem cell derived progenitor cells may be from any source. However, they are preferably established by the methods described above. Preferably, the cells are grown in the presence of a serum-free media and growth factor.

PCT/US2013/042555

5

The somatic cells may preferably be neurons, or glial progenitor cells including astrocytes or oligodendrocyte progenitor cells. Preferably, the somatic progenitors are neural progenitors.

10

Any adhesive substrate may be used. More preferably, poly-D-lysine and laminin or poly-D-lysine and fibronectin are used.

Induction of somatic cells is preferably achieved by withdrawing growth factors from the media. However, other acceptable methods of induction may be used. These may include:

culturing the undifferentiated cells for prolonged periods and at high density to induce differentiation;

culturing the cells in serum free media;

culturing the cells on a differentiation inducing fibroblast feeder layer and wherein said fibroblast feeder layer does not induce extra embryonic differentiation and cell death;

culturing to a high density in monolayer or on semi-permeable membrane so as to create structures mimicing the postimplantation phase of human development; or

culturing in the presence of a chemical differentiation factor selected from the group including bone morphogenic protein-2 or antagonists thereof.

For inducing neurons, it is preferred to further use poly-D-lysine and laminin.

25

Upon plating of neural progenitors on an appropriate substrate such as poly-D-lysine and laminin, and withdrawal of growth factors from the serum free medium, differentiated cells grow out of the spheres as a monolayer and acquire morphology of mature neurons and expression of markers such as the 160 kd neurofilament protein , Map-2AB, synaptophysin, Glutamate, tyrosine hydroxylase, GABA biosynthesis and

receptor subunits characteristic of GABA minergic neurons (GABA A α 2) which are characteristic of mature neurons.

5 In a preferred embodiment, the method for inducing neurons further includes culturing the somatic progenitor cells, preferably undifferentiated neural progenitor cells, or differentiating neuronal progenitors in the presence of retinoic acid.

Retinoic acid has been found to further induce differentiation toward mature neurons.

10 The establishment of oligodendrocyte and astrocyte cells indicates the potential of the neural precursors to differentiate towards the glial lineage.

For inducing of glial cells including astrocytes and oligodendrocyte progenitors, it is preferred to use poly-D-lysine and fibronectin. Fibronectin is significantly more potent than laminin for the induction of differentiation towards the glial lineage.

In a preferred embodiment, the method for inducing glial cells further includes culturing the somatic progenitor cells, preferably undifferentiated neural progenitor cells, in the presence of PDGF-AA and basic FGF.

20 In yet another preferred embodiment, the method for inducing glial cells further includes culturing the somatic progenitor cells, preferably undifferentiated neural progenitor cells, in the presence of T3. The cells may be then grown in the absence of growth factor.

25 The glial cells may be selected from astrocytes or oligodendrocytes.

30 Culture in serum free medium supplemented with b-FGF and PDGF-AA may direct the neural progenitors to turn into glial progenitors and induce the expansion of glial progenitors. This is followed by plating the progenitors on poly-D-lysine and

fibronectin and further culture in the presence of the growth factors and T3 followed by culture in the presence of T3 without growth factor supplementation. Without being limited by theory, it is postulated that the growth factors such as bFGF and PDGF-AA facilitate proliferation and spreading of the glial progenitors, fibronectin further induces differentiation towards the glial lineage and T3 induce the differentiation toward and along the oligodendrocyte lineage.

In another aspect, differentiation into glial cells including astrocyte and oligodendrocyte cells is induced by plating the neural progenitors on poly-D-lysine and fibronectin and culturing them in the serum free medium supplemented with EGF, b-FGF and PDGF-AA. The growth factors may then be removed and the cells further cultured in the presence of T3.

In yet another aspect, the invention provides differentiated somatic cells including neural, neural progenitor cells, neuronal and/or glial cells prepared by the methods of the present invention. The glial cells include astrocytes or oligodendrocytes.

The progenitor cells that are derived by the method that is described above may be used to generate differentiated cells from other lineages. The spheres of progenitors may include in addition to neural progenitors more primitive cells such as primitive ectodermal cells or progenitor cells of other lineages such as the hemangioblast or hematopoietic stem cells. By manipulation of the culture conditions these primitive cells may generate all somatic cell types.

Expression of mesodermal markers such as flk-1 and CD-34 has been demonstrated in the human ES derived progenitor cell preparation. This may indicate the presence of mesodermal primitive cells such as the hemangioblast cell or hematopoietic stem cell. Alternatively it may be that the primitive neural progenitors within the spheres express these mesodermal markers. The expression of the markers may indicate the possible high plasticity of the neural progenitors to transdifferentiate into mesodermal cells.

5

The present invention provides a method that generates an *in vitro* and *in vivo* model of controlled differentiation of ES cells towards the neural lineage. The model, and the cells that are generated along the pathway of neural differentiation may be used for the study of the cellular and molecular biology of human neural development, for the discovery of genes, growth factors, and differentiation factors that play a role in neural differentiation and regeneration. The model, and the cells that are generated along the pathway of neural differentiation may be used for drug discovery and for the development of screening assays for teratogenic, toxic and neuroprotective effects.

10

In a further aspect of the invention, there is provided a method of producing large quantities of differentiated and undifferentiated cells. It is intended to mean that these cells can be propagated, expanded and grown in cell culture.

15
20

In yet another aspect, the present invention provides a method of producing an enriched preparation of human ES derived neural progenitor cells, said method comprising:

obtaining an undifferentiated human embryonic stem cell as described herein; inducing somatic differentiation of the embryonic stem cell to a neural progenitor cell by a method described herein; identifying a neural progenitor cell by expressed markers of primitive neuroectoderm and neural stem cells such as polysialylated N-CAM, intermediate filament proteins such as nestin and vimentin and the transcription factor Pax-6; and culturing the neural progenitor cells to promote proliferation and propagation.

25

The neural progenitor cells will grow as spheres or monolayers preferably in serum free media. A suitable media is DMEM/F12 supplemented with growth factors selected from the group including B27, EGF and bFGF.

Further enrichment of the preparation may be achieved by further cultivation in new media which includes transferring the clumps of cells into new media.

5 In a further aspect of the invention there is provided a method to dis-aggregate the spheres into single cell suspensions. Dis-aggregation by using digestion with trypsin or dispase may be ineffective. Dis-aggregation may be accomplished by digestion with papain combined with mechanical tituration.

10 In another aspect of the invention, there is provided a method of transplanting ES

derived neural progenitor spheres, said method comprising:

disaggregating the spheres; and
injecting the disaggregated spheres into a living host.

15 Disaggregation of the spheres may be conducted in any way to separate the cells either to small clumps or single cells. Ideally, trypsin or dispase are not used. , Mechanical disaggregation or tituration may be adopted to separate the cells prior to injection. Alternatively the spheres may be disaggregated by digestion with papain preferably combined with mechanical tituration.

20 Injection may be conducted in any manner so as to introduce the cells into the nervous system of the host. Preferably the cells are introduced into a specific site in the nervous system. Any method may be used to introduce the cells into a specific location. Preferably, the cells are injected using a micro-glass pipette (300micron outer diameter) connected to a micro-injector (Narishige, Japan). The glass pipette may be covered by a plastic sleeve that will limit the depth of penetration into the host nervous system. The cells may be also injected by a hamilton syringe into predetermined depth using a stereotaxic device. Any stereotaxic injection method may be suitable.

25

30

The volume that is injected and the concentration of cells in the transplanted solution depend on the indication for transplantation, the location in the nervous system and the

species of the host. Preferably 2 microliters with 25,000-50,000 cells per microliter are injected to the lateral cerebral ventricles of newborn rats or mice.

In another aspect of the invention there is provided a neural progenitor cell capable of transplantation into a host nervous system said cell characterised by establishing a stable graft and contributing in the histogenesis of a living host.

10 In another aspect of the present invention there is provided a method of inducing somatic cells *in vivo* from embryonic stem cell derived somatic progenitors, said method comprising:

obtaining a source of embryonic stem cell derived somatic progenitor cells, preferably prepared by the methods described herein; and

transplanting the somatic progenitors into a host to induce differentiation to somatic cells.

The transplanting may be conducted by any of the methods described herein.

When engrafted into a developing nervous system, the progenitor cells will participate in the processes of normal development and will respond to the host's developmental cues. The engrafted progenitor cells will migrate along established migratory pathways, will spread widely into disseminated areas of the nervous system and will differentiate in a temporally and regionally appropriate manner into progeny from both the neuronal and glial lineages in concert with the host developmental program. The engrafted neural progenitor cell is capable of non-disruptive intermingling with the host neural progenitors as well as differentiated cells. The transplanted cells can replace specific deficient neuronal or glial cell populations, restore defective functions and can express foreign genes in a wide distribution.

In a further aspect of the invention the ES derived neural progenitor cells or their differentiated progeny may be transplanted into the developed nervous system. They

5

can form a stable graft, migrate within the host nervous system, intermingle and interact with the host neural progenitors and differentiated cells. They can replace specific deficient neuronal or glial cell populations, restore deficient functions and activate regenerative and healing processes in the host's nervous system. In an even further aspect of the invention the transplanted cells can express foreign genes in the host's nervous system.

Preferably the stable graft is a graft established in the central nervous system or the peripheral nervous system.

10

In a further aspect of the invention the progenitor cells are grafted into other organs such as but not limited to the hematopoietic system where they trans-differentiate and form a stable functional graft.

More preferably the spheres are ES derived human neural progenitor spheres which are transplanted into the living host.

In a further aspect of the invention there is provided a neural progenitor cell, a neuronal cell and/or a glial cell that may be used for cell therapy in a variety of pathological conditions including but not limited to neurodegenerative disorders, vascular conditions, autoimmune disorders, congenital disorders, trauma and others.

25

In a further aspect of the invention there is provided a neural progenitor cell, a neuronal cell and/or a glial cell that may be used for gene therapy. Genetically manipulated neural progenitor cells or neuronal cell or glial cells may be used after transplantation as a vector to carry and express desired genes at target organs.

In another aspect of the present invention, there is provided a committed progenitor cell line. The progenitor cell line may be expanded to produce large quantities of

progenitor cells, neural progenitor cells, neuronal cells, mature neuronal cells and glial cells.

In another aspect of the invention, there are provided committed neural progenitor cells capable of self renewal or differentiation into one or limited number of somatic cell lineages, as well as mature differentiated cell produced by the methods of the present invention.

Expansion of the committed progenitor cells may be useful when the number of progenitors that may be derived from ES cells is limited. In such a case, expansion of the progenitors may be useful for various applications such as the production of sufficient cells for transplantation therapy, for the production of sufficient RNA for gene discovery studies etc. For example, by using the techniques described above, expansion of progenitor cells from ten spheres for ten passages may generate 50×10^6 cells that would be sufficient for any application.

These observations on cells of the neural lineage establish the principle that by using the techniques described, committed progenitor cells may be isolated, from embryonic stem cell cultures propagated, expanded, enriched and further induced to produce fully differentiated cells.

In a further aspect of the invention, there is provided a method of producing large quantities of differentiated and undifferentiated cells.

In another aspect there is provided a differentiated committed progenitor cell line that may be cultivated for prolonged periods and give rise to large quantities of progenitor cells and fully differentiated cells.

5

The neural progenitor cells or other committed progenitor cells derived by the method described above may be used to generate differentiated cells from other lineages by transdifferentiation.

10

In another aspect there is provided a differentiated committed progenitor cell line capable of differentiation into mature neurons and/or glial cells. Preferably the progenitor cell is a neural progenitor cell.

In another aspect there is provided an undifferentiated cell line capable of differentiation into neural progenitor cells produced by the method of the present invention.

Specific cell lines HES-1 and HES-2 were isolated by the procedures described above and have the properties described above.

In another aspect of the invention there is provided a cell composition including a human differentiated or undifferentiated cell capable of differentiation into neural progenitor cells preferably produced by the method of the present invention, and a carrier.

The carrier may be any physiologically acceptable carrier that maintains the cells. It may be PBS or ES medium.

25

The differentiated or undifferentiated cells may be preserved or maintained by any methods suitable for storage of biological material. Vitrification of the biological material is the preferred method over the traditional slow-rate freezing methods.

30

Effective preservation of ES cells is highly important as it allows for continued storage of the cells for multiple future usage. Although traditional slow freezing methods, commonly utilised for the cryo-preservation of cell lines, may be used to cryo-

5

10

25

30

preserve undifferentiated or differentiated cells, the efficiency of recovery of viable human undifferentiated ES cells with such methods is extremely low. ES cell lines differ from other cell lines since the pluripotent cells are derived from the blastocyst and retain their embryonic properties in culture. Therefore, cryo-preservation using a method which is efficient for embryos is most appropriate. Any method which is efficient for cryo-preservation of embryos may be used. Preferably, vitrification method is used. More preferably the Open Pulled Straw (OPS) vitrification method previously described by Vajta, G. et al (1998) Molecular Reproduction and Development, 51, 53-58, is used for cryopreserving the undifferentiated cells. More preferably, the method described by Vajta, G. et al (1998) Cryo-Letters, 19, 389 - 392 is employed. Generally, this method has only been used for cryopreserving embryos.

The committed progenitor cell line is efficiently recovered from cryopreservation using the traditional slow rate cooling method.

The differentiated or undifferentiated cells may be used as a source for isolation or identification of novel gene products including but not limited to growth factors, differentiation factors or factors controlling tissue regeneration, or they may be used for the generation of antibodies against novel epitopes. The cell lines may also be used for the development of means to diagnose, prevent or treat congenital diseases.

Much attention recently has been devoted to the potential applications of stem cells in biology and medicine. The properties of pluripotentiality and immortality are unique to ES cells and enable investigators to approach many issues in human biology and medicine for the first time. ES cells potentially can address the shortage of donor tissue for use in transplantation procedures, particularly where no alternative culture system can support growth of the required committed stem cell. ES cells have many other far reaching applications in human medicine, in areas such as embryological research, functional genomics, identification of novel growth factors, and drug discovery, and toxicology.

While the potential applications of neural stem cells derived from adult or embryonic CNS are considerable, there may be real advantages to neural progenitor cells derived from ES cell cultures.

5

ES cell lines derived from a patients own tissue via somatic cell nuclear transfer would produce neuronal precursors which are a precise match to the recipients own tissue and might therefore be more suitable for grafting.

10

Moreover the use of nuclear transfer to yield ES cells from individuals with specific genetic predispositions to certain diseases of the CNS could provide a powerful tool for the generation of in vitro models for disease pathogenesis.

It is quite likely that neural precursors generated from ES cell cultures may demonstrate a greater growth or developmental potential than committed progenitors from fetal or adult CNS.

There are a huge range of cell types within the adult CNS, and while it is clear that ES cells can give rise to any of these in the mouse, it is not clear that neural stem cells can do so.

25

ES derived neural progenitors may allow the study of early stages of the process of neurogenesis, and thereby provide important clues for discovery of novel factors enhancing tissue regeneration, or novel stem cell intermediates which might be more facile at replacing damaged tissue.

It may be that the frequency of homologous recombination in ES cells is much higher than that in neural stem cells, and therefore that the only practical route for introducing targetted genetic modifications into human neural tissue-either for generation of

disease models in vitro or for types of gene therapy-lies in the reproducible generation and isolation of neural progenitors from genetically modified embryonic stem cells.

The present invention will now be more fully described with reference to the
5 following examples. It should be understood, however, that the description following
is illustrative only and should not be taken in any way as a restriction on the generality
of the invention described above.

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

REFEEES

1. Evans, M.J. and Kaufman, M. Establishment in culture of pluripotential stem cells from mouse embryos. *Nature* 292, 151-156 (1981).
- 5 2. Martin, G.R. Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells. *Proc. Natl. Acad. Sci U.S.A.* 78, 7634-7638 (1981).
- 10 3. Andrews, P. W. et al. Pluripotent embryonal carcinoma clones derived from the human teratocarcinoma cell line Tera-2. *Lab. Invest.* 50, 147-162 (1984).
4. Pera, M. F., Cooper, S., Mills, J., & Parrington, J. M. Isolation and characterization of a multipotent clone of human embryonal carcinoma-cells. *Differentiation* 42, 10-23 (1989).
5. Thomson, J.A. et al. Isolation of a primate embryonic stem cell line. *Proc. Natl. Acad. Sci. U.S.A.* 92, 7844-7844 (1995).
6. Thomson, J.A. et al. Pluripotent cell lines derived from common marmoset (*Callithrix jacchus*) blastocysts. *Biol. Reprod.* 55, 254-259. (1996).
7. Bongso A., Fong C.Y., Ng S.C., and Ratnam, S. Isolation and culture of inner cell mass cells from human blastocysts. *Hum. Reprod.* 9, 2110-2117 (1994).
8. Thomson, J. A. et al. Embryonic stem cell lines derived from human blastocysts. *Science* 282, 1145-1147 (1998).
9. Andrews, P. W. et al. Comparative-analysis of cell-surface antigens expressed by cell-lines derived from human germ-cell tumors. *Int.J.Cancer* 66, 806-816 (1996).
10. Cooper, S., Pera, M. F., Bennett, W., & Finch, J. T. A novel keratan sulfate proteoglycan from a human embryonal carcinoma cell-line. *Biochem.J.* 286, 959-966 (1992).
- 25 11. Pera, M. F. et al. Analysis of cell-differentiation lineage in human teratomas using new monoclonal-antibodies to cytostructural antigens of embryonal carcinoma-cells. *Differentiation* 39, 139-149 (1988).

12. Fong C.Y., and Bongso A. Comparison of human blastulation rates and total cell number in sequential culture media with and without co-culture. *Hum. Reprod.* 14, 774-781 (1999).
13. Fong C.Y. et al. Ongoing pregnancy after transfer of zona-free blastocysts: implications for embryo transfer in the human. *Hum. Reprod.* 12, 557-560 (1997).
14. Solter D., and Knowles, B. Immunosurgery of mouse blastocyst. *Proc. Natl. Acad. Sci. U.S.A.* 72, 5099-5102 (1975).
15. Vajta G, Holm P, Kuwayama M, Both PJ, Jacobsen H, Greve T, Callesen H. Open pulled straw (OPS) vitrification: A new way to reduce cryoinjuries of bovine ova and embryos. *Molecular Reproduction and Development* 1998, 51: 53-58.
16. Vajta G, Lewis IM, Kuwayama M, Greve T, Callesen H. Sterile application of the opened pulled straw (OPS) vitrification method. *Cryo-Letters* 1998, 19: 389-392.
17. Beddington, R. S. P. & Robertson, E. J. Axis development and early asymmetry in mammals. *Cell* 96, 195-209 (1999).
18. Li, M., Pevny, L., Lovell-Badge, R., and Smith, A. Generation of purified neural precursors from embryonic stem cells by lineage selection. *Curr. Biol.* 8, 971-974 (1998).
19. Svensden, CN and Smith AG New prospects for human stem-cell therapy in the nervous system. *Trends in Neurosci* 22: 357, 1999.
20. Kleinsmith LJ and Pierce GB. Multipotentiality of single embryonal carcinoma cells. *Cancer Res.* 1964; 24: 797-842.
21. Stevens (1983)
22. Martin GR. Teratocarcinomas and mammalian embryogenesis. *Science* 1980; 209: 768.
23. Matsui Y, Zsebo K, Hogan BLM. Derivation of pluripotent embryonic stem cells from murine primordial germ cells in culture. *Cell* 1992; 70: 841-847.
24. Andrews PW. Human teratocarcinoma. *Biochim. Biophys. Acta* 1988; 948: 17-

25. Thompson S, Stern PL, Webb M, et al., Cloned human teratoma cells differentiate into neuron-like cells and other cell types in retinoic acid. *J Cell Sci.* 1984; 72: 37-64.

26. van Eijk MJT, van Rooijen MA, Modina S, Scesi L, Folkers G, van Tol HTA, Bevers MM, Fisher SR, Lewin HA, Shehu D, Galli C, de Vaureix C, Trounson AO, Mummery CL, and Gandolfi F. Molecular cloning, genetic mapping and developmental expression of bovine POU5F1. *Biology of Reproduction* 1999; 60: 1093-1103.

27. Kukekov VG, Laywell ED, Suslov O et al. Multipotent stem/progenitor cells with similar properties arise from two neurogenic regions of adult human brain. *Experimental Neurology* 1999, 156: 333-344

28. Uchida N, Buck DW, He D, Reitsma MJ, Masek M, Phan TV, Tsukamoto AS, Gage FH, Weissman IL. Direct isolation of human central nervous system stem cells. *Proc Natl Acad Sci U S A* 2000, 97:14720-5.

29. Clarke DL, Johansson CB, Wilbertz J, Veress B, Nilsson E, Karlstrom H, Lendahl U, Frisen J. Generalized potential of adult neural stem cells. *Science* 2000, 288: 1660-3.

30. Bjornson CR, Rietze RL, Reynolds BA, Magli MC, Vescovi AL. Turning brain into blood: a hematopoietic fate adopted by adult neural stem cells in vivo. *Science* 1999, 283: 534-7.

31. Vescovi, A.L. et al. Isolation and cloning of multipotential stem cells from the embryonic human CNS and establishment of transplantable human neural stem cell lines by epigenetic stimulation. *Exp. Neurol.* **156**, 71-83 (1999).

32. Neelands, T.R. et al. GABA_A receptor pharmacology and subtype expression in human neuronal NT2-N cells. *J. Neurosci.* **18**, 4993-5007 (1998).

33. Reubinoff BE, Pera MF, Fong CY, Trounson A and Bongso A. Embryonic stem cells. PCT/AU99/00990, US Application No 09/436164.

34. Neelands, T.R et al GABA_A receptor pharmacology and subtype expression in human neuronal NT2 N cells. *J Neurosot* 18, 4993-5007 (1998).

35. Reubinoff BE, Pera MF, Fong CY, Trounson A and Bongso A. Embryonic stem cells. PCT/AU99/00990, US Application No 09/436164.

5

EXPERIMENTAL PROTOCOLS

1. Derivation and propagation of ES cells.

Fertilised oocytes were cultured to the blastocyst stage (day 6 after insemination), in sequential media, according to a standard co-culture free protocol (Fong C.Y., and Bongso A. Comparison of human blastulation rates and total cell number in sequential culture media with and without co-culture. *Hum. Reprod.* 14,774-781(1999)). After zona pellucida digestion by pronase (Sigma, St. Louis, MO)(Fong C.Y. et al. Ongoing pregnancy after transfer of zona-free blastocysts: implications for embryo transfer in the human. *Hum. Reprod.* 12, 557-560 (1997)), ICM were isolated by immunosurgery (Solter D., and Knowles, B. Immunosurgery of mouse blastocyst. *Proc. Natl. Acad. Sci. U.S.A.* 72, 5099-5102 (1975)) using anti-human serum antibody (Sigma) followed by exposure to guinea pig complement (Life Technologies, Gaithersburg, MD). ICM were then cultured on mitomycin C mitotically inactivated mouse embryonic fibroblast feeder layer (75,000 cells/cm²) in gelatine coated tissue culture dishes. The culture medium consisted of DMEM (Gibco, without sodium pyruvate, glucose 4500mg/L) supplemented with 20% fetal bovine serum (Hyclone, Logan, Utah), 0.1mM beta-mercaptoethanol, 1% non essential amino acids, 2mM glutamine, 50u/ml penicillin and 50(g/ml streptomycin (Life Technologies). During the isolation and early stages of ES cell cultivation, the medium was supplemented with human recombinant leukemia inhibitory factor hLIF at 2000u/ml (Amrad, Melbourne, Australia). 6-8 days after initial plating, ICM like clumps were removed mechanically by a micropipette from differentiated cell outgrowths and replated on fresh feeder layer. The resulting colonies were further propagated in clumps of about 100 stem cell like cells, on mouse feeder layer, about every 7 days. The clumps were either dissociated mechanically, or

10

FOR FED 2000-08-05
15
20
25

25

with a combined approach of mechanical slicing followed by exposure to dispase (10mg/ml, Life Technologies).

5 (a) Embryo culture

Following insemination, embryos were cultured in droplets under pre-equilibrated sterile mineral oil in IVF-50 medium (Scandinavian 2 medium) for 2 days.

10 A mixture 1:1 of IVF-50 and Scandinavian 2 medium (Scandinavian 2 medium) was used in the third day.

From the forth day of culture, only Scandinavian 2 medium was used to grow the cleavage stage embryos to blastocysts.

15 (b) Zona pellucida digestion.

Zona pellucida digestion was performed at the expanded blastocyst stage on day 6.

20 The digestion solution included Pronase (Sigma, TC tested) 10u in PBS and Scandinavian 2 medium (1:1).

25 The embryos were incubated in pronase solution for 1-1.5 min , washed in Scandinavian 2 medium and incubated for 30 minutes. If the zona was not completely dissolved, the embryos were further incubated in pronase solution for 15 seconds.

30 (c) Human stem cell culture.

Human stem cells were grown on MMC treated fibroblasts' feeder layer. Fibroblasts were plated on gelatine treated dishes. A combination of human and mouse derived fibroblasts were used at a density of approximately 25,000 and 70,000 cells per cm² respectively. The fibroblasts were plated up to 48 hours before culture of the stem cells. Mouse fibroblasts only could also support the growth of the stem cells. However, while human fibroblasts could also support stem cells, they created an

uneven and unstable feeder layer. Therefore, the human fibroblasts were combined with the mouse fibroblasts to augment and achieve better support of growth and prevention of differentiation.

5 The medium that was used for the growth of human stem was DMEM (GIBCO, without sodium pyruvate, with glucose 4500mg/L) supplemented with 20% FBS (Hyclone, Utah) (-mercaptoethanol - 0.1mM (GIBCO), Non Essential Amino Acids - NEAA 1% (GIBCO), glutamine 2mM.(GIBCO), penicillin 50u/ml, and streptomycin 50(g/ml (GIBCO). At the initial isolation of the stem cells the medium was 10 supplemented by hLIF 2000u/ml. It was later shown that LIF was not necessary.

(d) Human stem cell propagation

Following plating, the isolated ICM attached and was cultured for 6 days. At that stage, a colony which included a clump of stem cells on top of differentiated cells developed. The ICM clump was isolated and removed mechanically by a micro-pipette with the aid of using Ca/Mg free PBS medium to reduce cell to cell attachments.

The isolated clump was replated on fresh human/mouse fibroblast feeder layer. Following 2 weeks of culture, a colony with typical morphology of primate pluripotent stem cells developed. The stem cells were further propagated in one of two methods. In both methods cells which appeared nondifferentiated were propagated in clumps of about 100 cells every 5-7 days.

25 In the first method, $\text{Ca}^{2+}/\text{Mg}^{2+}$ free PBS medium was used to reduce cell to cell attachments. Following about 15-20 minutes, cells gradually start to dissociate and the desired size clumps can be isolated. When cell dissociation is partial, mechanical dissociation using the sharp edge of the pipette assisted with cutting and the isolation of the clumps.

30

An alternative approach was performed by the combined use of mechanical cutting of the colonies followed by isolation of the subcolonies by dispase. Cutting of the colonies was performed in PBS containing Ca and Mg. The sharp edge of micropipette was used to cut the colonies to clumps of about 100 cells. The pipette was also used to scrape and remove differentiated areas of the colonies. The PBS was then changed to regular preequilibrated human stem cells medium containing dispase (Gibco) 10mg/ml and incubated for 5-10 minutes (at 37°C, 5% CO₂). As soon as the clumps were detached they were picked up by wide bore micro-pipette, washed in PBS containing Ca and Mg and transferred to a fresh feeder layer.

5

10

e) Human stem cell cryopreservation.

Early passage cells were cryo-preserved in clumps of about 100 cells by using the open pulled straw (OPS) vitrification method (Vajta et al 1998) with some modifications. French mini-straws (250(l, IMV, L'Aigle, France) were heat-softened over a hot plate, and pulled manually until the inner diameter was reduced to about half of the original diameter. The straws were allowed to cool to room temperature and were then cut at the narrowest point with a razor blade. The straws were sterilised by gamma irradiation (15-25 K Gy). Two vitrification solutions (VS) were used. Both were based on a holding medium (HM) which included DMEM containing HEPES buffer (Gibco, without sodium pyruvate, glucose 4500mg/L) supplemented with 20% fetal bovine serum (Hyclone, Logan, Utah). The first VS (VS1) included 10% dimethyl sulfoxide (DMSO, Sigma) and 10% ethylene glycol (EG, Sigma). The second vitrification solution (VS2) included 20% DMSO, 20% EG and 0.5M sucrose. All procedures were performed on a heating stage at 37°C. 4-6 clumps of ES cells were first incubated in VS1 for 1 minute followed by incubation in VS2 for 25 seconds. They were then washed in a 20(l droplet of VS2 and placed within a droplet of 1-2(l of VS2. The clumps were loaded into the narrow end of the straw from the droplet by capillary action. The narrow end was immediately submerged into liquid nitrogen. Straws were stored in liquid nitrogen. Thawing was also performed on a heating stage at 37°C as previously described with slight modifications (Vajta et al

25

30

1998). Three seconds after removal from liquid nitrogen, the narrow end of the straw was submerged into HM supplemented with 0.2M sucrose. After 1 minute incubation the clumps were further incubated 5 minutes in HM with 0.1M sucrose and an additional 5 minutes in HM.

5

2. Stem cell characterisation.

Colonies were fixed in the culture dishes by 100% ethanol for immuno-fluorescence demonstration of the stem cell surface markers GCTM-2, TRA 1-60 and SSEA-1, while 90% acetone fixation was used for SSEA-4. The sources of the monoclonal antibodies used for the detection of the markers were as follows: GCTM-2, this laboratory; TRA 1-60, a gift of Peter Andrews, University of Sheffield; SSEA-1 (MC-480) and SSEA-4 (MC-813-70), Developmental Studies Hybridoma Bank, Iowa, IA. Antibody localisation was performed by using rabbit anti-mouse immunoglobulins conjugated to fluorescein isothiocyanate (Dako, Carpinteria, CA).

10
15
20
25
30

Alkaline phosphatase activity was demonstrated as previously described (Buehr M. and McLaren A. Isolation and culture of primordial germ cells. Methods Enzymol. 225, 58-76, (1993)). Standard G-banding techniques were used for karyotyping.

3. Oct-4 expression studies.

To monitor expression of Oct-4, RT-PCR was carried out on colonies consisting predominantly of stem cells, or colonies which had undergone spontaneous differentiation as described below. mRNA was isolated on magnetic beads (Dynal AS, Oslo) following cell lysis according to the manufacturer's instructions, and solid-phase first strand cDNA synthesis was performed using Superscript II reverse transcriptase (Life Technologies). The PCR reaction was carried out according to van Eijk et al. (1999), using the solid phase cDNA as template and Taq polymerase (Pharmacia Biotech, Hong Kong). OCT-4 transcripts were assayed using the following

5

primers: 5'-CGTTCTTTGGAAAGGTGTTC (forward) and 3'-ACACTCGGACCACGTCTTC (reverse). As a control for mRNA quality, beta-actin transcripts were assayed using the same RT-PCR and the following primers: 5'-CGCACCACTGGCATTGTCAT-3' (forward), 5'-TTCTCCTGATGTCACGCAC-3' (reverse). Products were analysed on a 1.5% agarose gel and visualised by ethidium bromide staining.

10

Colonies were cultured on mitotically inactivated mouse embryonic fibroblasts to confluence (about 3 weeks) and further on up to 7 weeks after passage. The medium was replaced every day. Alphafetoprotein and beta human chorionic gonadotropin levels were measured in medium conditioned by HES-1 and HES-2 at passage level 17 and 6 respectively. After 4-5 weeks of culture, conditioned medium was harvested 36 hours after last medium change, and the protein levels were determined by a specific immunoenzymometric assays (Eurogenetics, Tessenderlo, Belgium) and a fluorometric enzyme immunoassay (Dade, Miami, FL) respectively. These compounds were not detected in control medium conditioned only by feeder layer.

20

25

Differentiated cultures were fixed 6-7 weeks after passage (26 – HES-1 and 9 – HES-2) for immunofluorescence detection of lineage specific markers. After fixation with 100% ethanol, specific monoclonal antibodies were used to detect the 68 kDa neurofilament protein (Amersham, Amersham U.K), and neural cell adhesion molecule (Dako). Muscle specific actin and desmin were also detected by monoclonal antibodies (Dako) after fixation with methanol/acetone (1:1). Antibody localisation was performed as described above.

5. Teratoma formation in Severe Combined Immunodeficient (SCID) mice.

5

At the time of routine passage, clumps of about 200 cells with an undifferentiated morphology were harvested as described above, and injected into the testis of 4-8 week old SCID mice (CB17 strain from the Walter and Eliza Hall Institute, Melbourne, Australia, 10-15 clumps/testis). 6-7 weeks later, the resulting tumours were fixed in neutral buffered formalin 10%, embedded in paraffin and examined histologically after hematoxylin and eosin staining.

10

Two approaches were developed for the derivation of neural precursors from human ES cells:

(a) Derivation of neural precursors from differentiating ES cells:

Colonies of undifferentiated ES cells were continuously cultured on mouse embryonic fibroblasts for 2-3 weeks. The medium was changed every day. Starting from the second week of culture and more commonly at the third week, areas of tight small differentiated ES cells could be identified in the colonies both by phase contrast microscopy as well as stereo microscopy. These areas tended to become well demarcated in the third week of culture (Figure 26). The size and demarcation of these areas could be enhanced if after the first week of culture, the serum containing medium was replaced with serum free medium that was supplemented with epidermal growth factor 20ng/ml (EGF, Gibco), and basic fibroblast growth factor 20ng/ml (bFGF, Gibco) and consisted of DMEM/F12 (Gibco, Gaithersburg, MD), B27 supplementation (1:50, Gibco), glutamine 2mM (Gibco), penicillin 50u/ml and streptomycin 50 μ g/ml (Gibco). Clumps of the small tightly packed cells were dissected mechanically by a micropipette from these areas and were transferred to plastic tissue culture dishes containing fresh serum free medium (as detailed above), supplemented with EGF(20ng/ml), and basic FGF(20ng/ml). The medium was supplemented with heparin 5 μ g/ml (Sigma St. Louis, MO) in some of the experiments. The clusters of cells turned into round spheres that were comprised of small tight cells within 24 hours after transfer. The spheres were sub-cultured about every 7-21 days.

25

30

5 .The timing of subculture was determined according to the size of the spheres. The diameter of spheres at the time of sub-culture was usually above 0.5mm. Each sphere was dissected according to its size to 4 parts by two surgical blades (size 20) to produce clumps with a maximal diameter between 0.3-0.5mm . 50% of the medium was changed about every 3 days.

10 (b) Derivation of neural precursors from undifferentiated ES cells:

15 Colonies of undifferentiated ES cells were propagated on mouse embryonic fibroblasts as described above. Undifferentiated ES cells were passaged in clumps of about 150-200 cells every 7 days. At the time of routine passage, clumps of about 200 ES cells were transferred to plastic tissue culture dishes containing the same serum free medium that was described in item 1 above. The clusters of cells turned into round spheres within 24 hours after transfer. The spheres were sub-cultured about every 7-21 days as described above. 50% of the medium was changed about every 3 days.

20 (c) Characterization of the growth and the number of cells in the spheres.

25 Growth of the progenitors was roughly evaluated by the increase in the number of spheres at each passage. The growth was also monitored by serial measurements of the volume of 24 spheres. Individual spheres were plated in twenty four well dishes (a sphere per well) and their diameter was evaluated every 7 days. The volume was calculated by using the volume equation of a ball. When the measurements occurred 7 days after passage, growth was evaluated by comparing the volume before passage of each of six mother sphere with the sum of volumes of its four daughter spheres a week later.

30 The number of cells per sphere and its correlation with the diameter of the spheres was evaluated in a sample of spheres with various sizes. Each sphere was mechanically disaggregated into single cells or by enzymatic (papain, Worthington Biochemical Co, NJ) digestion that was followed by titration. The cells were then spun down re-

suspended in serum free medium and counted. The cells were also stained with trypan blue to determine the rate of viable cells.

5 (d) Cryopreservation of spheres.

Spheres of precursors were transferred into a 1.2ml cryo-vial (Nalge Nunc Naperville, IL) containing 0.5-1ml of pre-cooled (4°C) freezing medium (90% serum free medium (as above) and 10% DMSO (Sigma)). The vials were slowly cooled (~1°C / min) in a freezing container (Nalgene, Nalge Nunc Naperville, IL) to -80°C and then plunged into and stored in liquid nitrogen. The vials were rapidly thawed in a water bath at 37°C. The freezing medium was gradually diluted with 10ml serum free culture medium and the spheres were transferred to fresh serum free medium.

10 15 20 25 30 **7. Characterization of the progenitor cells in the spheres.**

(a) Immunohistochemistry studies

The spheres were plated on coverslips coated with poly-D-lysine (30-70 kDa, Sigma) and laminin (Sigma), fixed after 4 hours and examined by indirect immunofluorescence analysis for expression of N-CAM (acetone fixation, mouse monoclonal antibody UJ13a from Dako, Carpinteria, CA), nestin (4% paraformaldehyde fixation, rabbit antiserum a kind gift of Dr. Ron McKay) and vimentin (methanol fixation, mouse monoclonal antibody Vim3B4 from Roche Diagnostics Australia, Castle Hill, NSW).

To evaluate the proportion of cells that expressed polysialylated NCAM, nestin and vimentin, spheres that were cultivated for at least 6 weeks were disaggregated into single cells either by mechanical titration in PBS without calcium and magnesium or by enzymatic (papain, Worthington Biochemical Co, NJ) digestion that was followed by titration. The cells were then plated on coverslips coated with poly-D-lysine and laminin fixed after 24 hours and examined by indirect immunofluorescence analysis for expression of N-CAM nestin and vimentin. One hundred and fifty – 200 cells were scored for each marker and the scoring was repeated 2-3 times for each marker. Three

progenitor cell lines derived from differentiating colonies and two lines that were derived directly from undifferentiated cells were evaluated.

To examine the expression of endodermal markers, spheres were plated on coverslips 5 coated with poly-D-lysine and fibronectin (Sigma, 5mcg/mk), cultured 4 weeks in the absence of growth factors and examined by indirect immunofluorescence analysis for the expression of low molecular weight (LMW) cytokeratin (4% paraformaldehyde fixation, mouse monoclonal antibody from Beckton Dickinson, San Jose, CA) and laminin (4% paraformaldehyde fixation, mouse monoclonal antibody, I:500 dilution, 10 from Sigma).

(b) RT-PCR

Rt PCR was used to study the expression of nestin, the transcription factor PAX-6, oct4, CD-34, FLK-1, HNF-3, and alfafetoprotein (AFP), in the spheres .

Expression of the endodermal markers HNF-3, AFP and transferin was also studied in differentiated spheres that were plated on poly-D-lysine (30-70 kDa) and Fibronectin (Sigma, 5mcg/mk) or laminin (Sigma), cultured in the same serum free medium supplemented with growth factors for two weeks and then further cultured two weeks without growth factors supplementation.

The mRNA was isolated on magnetic beads (Dynal AS, Oslo) following cell lysis according to the manufacturer's instructions, and solid-phase first strand cDNA synthesis was performed using Superscript II reverse transcriptase (Gibco, 25 Gaithersburg, MD).

Alternatively, total RNA was isolated by using the RNA STAT-60TM kit (Tel-Test Inc, Friendswood, Tx) and first strand cDNA synthesis was performed using Superscript II reverse transcriptase (Gibco, Gaithersburg, MD) according to the manufacturers' 30 instructions.

The PCR reaction was carried out according to van Eijk et al. (1999), using the solid phase cDNA as template and Taq polymerase (Pharmacia Biotech, Hong Kong). As a control for mRNA quality, beta-actin transcripts were assayed using the same RT-PCR. PCR primers were synthesized by Besatec or Pacific Oligos (Adelaide, Australia). The following primers were used:

| Gene | | Primers | Product size |
|------------|----------|------------------------------|--------------|
| PAX-6 | Forward: | 5' AACAGACACAGCCCTCACAAACA3' | 274 bp |
| | Reverse: | 5' CGGGAACCTGAACTGGAACTGAC3' | |
| nestin | Forward: | 5' CAGCTGGCGCACCTCAAGATG3' | 208 bp |
| | Reverse: | 5' AGGGAAGTTGGGCTCAGGACTGG3' | |
| Oct-4 | Forward: | 5'-CGTTCTCTTGGAAAGGTGTC | 320 bp |
| | Reverse: | 3'-ACACTCGGACCACGTCTTC | |
| beta-actin | Forward: | 5'-CGCACCACTGGCATTGTCAT-3' | 200 bp |
| | Reverse: | 5'-TTCTCCTTGATGTCACGCAC-3' | |
| CD-34 | Forward: | 5'-TGAAGCCTAGCCTGTCACCT-3' | 200 bp |
| | Reverse: | 5'-CGCACAGCTGGAGGTCTTAT-3' | |
| FLK-1 | Forward: | 5'-GGTATTGGCAGTTGGAGGAA-3' | 199 bp |
| | Reverse: | 5'-ACATTGCCGCTTGGATAAC-3' | |
| Hnf-3 | Forward: | 5'-GAGTTACAGGCTTGTGGCA-3' | 390 bp |
| | Reverse: | 5'-GAGGGCAATTCTGAGGATT-3' | |
| AFP | Forward: | 5'-CCATGTACATGAGCACTGTTG-3' | 340 bp |
| | Reverse: | 5'-CTCCAATAACTCCTGCTATCC-3' | |
| transferin | Forward: | 5'-CTGACCTCACCTGGACAAT-3' | 367 bp |
| | Reverse: | 5'-CCATCAAGGCACAGCAACTC-3' | |

Products were analysed on a 1.5% or a 2% agarose gel and visualised by ethidium bromide staining.

(c) Neuronal differentiation studies

In general, differentiation was induced by plating the spheres on an appropriate substrate (poly-D-lysine, 30-70 kDa, and laminin, Sigma) combined with the removal of growth factors.

Two protocols were most commonly used: In the first one, differentiation was induced by plating the spheres on coverslips coated with poly-D-lysine and laminin in the same serum free medium detailed above without growth factors supplementation. The cells in the spheres were allowed to spread and differentiate for 2-3 weeks and the medium was changed every 3-5 days. In some of the experiments, starting from the sixth day after plating, the medium was supplemented with all trans retinoic acid (Sigma, 10-6M).

In the second protocol, the spheres were plated on coverslips coated with poly-D-lysine and laminin in serum free growth medium supplemented with growth factors. After 5-6 days the supplementation of growth factors was withdrawn and all trans retinoic acid (Sigma, 10-6M) was added to the medium. The cells were further cultured for 1-2 weeks. The medium was changed every 5 days.

(d) Characterization of differentiated neuronal cells

Differentiated cells growing out from the spheres were analysed 2-3 weeks after plating by indirect immunofluorescence for the expression of the following markers: 200 kDa neurofilament protein (4% paraformaldehyde fixation, mouse monoclonal antibody RT97 from Novocastra, Newcastle, UK), 160 kDa neurofilament protein (methanol fixation, mouse monoclonal NN18 from Chemicon, Temecula, CA) 68kDa neurofilament protein (100% ethanol, Amersham, Amersham U.K.), MAP2 a,b (4%paraformaldehyde fixation, mouse monoclonal AP20 from Neomarkers, Union City CA), glutamate (1% paraformaldehyde and 1%glutaraldehyde, rabbit antiserum from Sigma), synaptophysin (4%paraformaldehyde, mouse monoclonal SY38 from

Dako), tyrosine hydroxylase (4% paraformaldehyde, mouse monoclonal, Sigma) glutamic acid decarboxylase (1% paraformaldehyde, 1 % glutaraldehyde, rabbit antiserum from Chemicon, Temecula, CA), β -tubulin (4%paraformaldehyde, mouse monoclonal TUB 2.1 from Sigma) and β -tubulin III (4%paraformaldehyde mouse monoclonal SDL.3D10 from Sigma) .

Differentiated cells were also analysed 2-3 weeks after plating by RT-PCR for the expression of β -actin, glutamic acid decarboxylase (primers, Vescovi et al., 1999) and GABA_A receptor subunit α 2 (primers, Neelands et al., 1998). mRNA preparation and the RT-PCR reaction were carried out as described above.

(e) Glial differentiation studies.

At the time of routine passage spheres were subcultured into serum free medium (as detailed above) supplemented with platelet derived growth factor (recombinant human PDGF-AA, Peprotech Inc 20ng/ml) and bFGF (Gibco, 20ng/ml). Fifty percent of the medium was replaced by fresh medium every 3 days. After culture for 6 days the spheres were plated on coverslips coated with poly-D-lysine and laminin in the same serum free medium without growth factors supplementation. The cells in the spheres were allowed to spread and differentiate for 10-12 days and the medium was changed every 3-5 days. An alternative protocol was used in some of the experiments. In these experiments the spheres were cultured in serum free medium (as detailed above) supplemented with PDGF-AA, (20ng/ml) and bFGF (20ng/ml) for three weeks. The spheres were then plated on coverslips coated with poly-D-lysine and Fibronectin (Sigma, 5mcg/mk). They were cultured for a week in the serum free medium supplemented with PDGF-AA, (20ng/ml), bFGF (20ng/ml) and T3 (30nM). The growth factors were then removed from the medium and the cells were further cultured for another 1-2 weeks in the presence of T3 only. Fifty percent of the medium was replaced by fresh medium every 3 days. In an alternative approach, spheres that were propagated in the presence of EGF and bFGF were plated on

coverslips coated with poly-D-lysine and Fibronectin (Sigma, 5mcg/mk). EGF was removed from the medium and the spheres were cultured in the presence of T3 (30nM) and bFGF (20ng/ml) for a week. The cells were then further cultured for another 3-4 weeks in the presence of T3 and PDGF-AA (20ng/ml).

5

Oligodendrocyte were identified by indirect immunofluorescence for the expression of the marker O4. The cells were first incubated with the primary (Anti oligodendrocyte marker O4, mouse monoclonal IgM from Chemicon Int. Inc. Temecula, CA) and secondary FITC or rhodamine conjugated antibodies and were then fixed with 4% paraformaldehyde.

10

To demonstrate differentiation into astrocyte, spheres that have been propagated in the presence of b-FGF and EGF were plated on coverslips coated with poly-D-lysine and fibronectin or laminin and further cultured for 6 days in serum free medium without growth factors supplementation.

Alternatively, spheres were propagated in the presence of PDGF-AA and bFGF for 6 weeks and were then plated on coverslips coated with poly-D-lysine and fibronectin. They were allowed to spread into a monolayer in the presence of the above growth factors for a week. The cells were then further cultured for another week in the presence of either T3 or the combination of T3 and PDGF-AA.

TOP F 45 105 20
TOP F 45 105 20

Following this protocols, differentiation into astrocytes was demonstrated by Indirect immunofluorescence for the expression of glial fibrillary acidic protein (GFAP) (4% paraformaldehyde fixation, rabbit anti cow from Dako)

25

Differentiation into astrocyte and oligodendrocyte cells was also confirmed at the mRNA level. Spheres were plated on poly-D-lysine and fibronectin and cultured for 2 weeks in the serum free medium supplemented with EGF, bFGF and PDGF-AA. The differentiating spheres were then further cultured two weeks without growth factors and in the presence of T3. RT-PCR was used as above to demonstrate the expression

30

of GFAP and the *plp* gene. GFAP transcripts were assayed using the following primers: 5'-TCATCGCTCAGGAGGTCCTT-3' (forward) and 5'-CTGTTGCCAGAGATGGAGGTT-3' (reverse), band size 383bp. The primers for the analysis of *plp* gene expression were 5'-CCATGCCTCCAGTATGTCATC-3' (forward) and 5'-GTGGTCCAGGTGTTGAAGTAAATGT-3' (reverse). The *plp* gene encodes the proteolipid protein and its alternatively spliced product DM-20 which are major proteins of brain myelin. The expected band size for *plp* is 354bp and for DM-20 is 249bp (Kukekov et al., 1999). As a control for mRNA quality, beta-actin transcripts were assayed using the same primers as above. Products were analysed on a 2% agarose gel and visualised by ethidium bromide staining.

(f) Transplantation studies.

Spheres were disaggregated into small clumps either mechanically or by enzymatic(papain, Worthington Biochemical Co, NJ) digestion that was followed by titration. Approximately 50,000 cells (in 2 μ l PBS) were injected into the lateral ventricles of newborn (first day after birth) mice and rats (Sabra) by using a micro-glass pipette (300micron outer diameter) connected to a micro-injector (Narishige, Japan). The glass pipette was covered by a plastic sleeve that limited the depth of penetration into the host nervous system. In some experiments, prior to transplantation, the neural progenitors were labeled with BrDU (20 μ M, 4 weeks). At 4 weeks of age, recipients were anesthetized and perfused with 4% paraformaldehyde in PBS. Serial 7 micrometer Vibratom sections were examined histologically after hematoxylin and eosin staining. The human identity of transplanted cells was confirmed by anti BrDU (Mouse, monoclonal ,1:20 ,Dako) immunohistochemical staining using Diaminobenzidine (DAB) peroxidase detection kit (Vector Burlingame, CA) according to the manufacturers' protocols. Cell type identity of transplanted cells was established by dual staining with antibodies to BrDU and GFAP (Rabbit polyclonal, 1:100 Dako) for astrocytes or BrDU and CNPase (mouse monoclonal, 1:50 Sigma) for oligodendrocyte. Immunoreactivity of anti GFAP and CNPase was revealed with a fluorescein-conjugated (Jackson, West Grove, PA)

5

10

25

30

secondary antibody.

EXAMPLES

Example 1 - Derivation of cell lines HES-1 and HES-2

The outer trophectoderm layer was removed from four blastocysts by immunosurgery to isolate inner cell masses (ICM), which were then plated onto a feeder layer of mouse embryo fibroblasts (Figure 1A). Within several days, groups of small, tightly packed cells had begun to proliferate from two of the four ICM. The small cells were mechanically dissociated from outgrowths of differentiated cells, and following replating they gave rise to flat colonies of cells with the morphological appearance of human EC or primate ES cells (Figure 1B, C stem cell colonies). These colonies were further propagated by mechanically disaggregation to clumps which were replated onto fresh feeder cell layers. Growth from small clumps of cells (<10 cells) was not possible under the conditions of these cultures. Spontaneous differentiation, often yielding cells with the morphological appearance of early endoderm, was frequently observed during routine passage of the cells (Figure 1D). Differentiation occurred rapidly if the cells were deprived of a feeder layer, even in the presence of LIF (Figure 1E). While LIF was used during the early phases of the establishment of the cell lines, it was subsequently found to have no effect on the growth or differentiation of established cultures (not shown). Cell line HES-1 has been grown for 60 passages in vitro and HES-2 for 40 passages, corresponding to a minimum of approximately 360 and 90240 population doublings respectively, based on the average increase in colony size during routine passage, and both cell lines still consist mainly of cells with the morphology of ES cells. Both cell lines have been successfully recovered from cryopreservation.

Example 2 - Marker expression and karyotype of the human ES cells

Marker and karyotype analysis were performed on HES-1 at passage levels 5-7, 14-18, 24-26 and 44-46, and on HES-2 at passage levels 6-8. ES cells contained alkaline phosphatase activity (Figure 2A). Immunophenotyping of the ES cells was carried out

10

5

using a series of antibodies which detect cell surface carbohydrates and associated proteins found on human EC cells. The ES cells reacted positively in indirect immunofluorescence assays with antibodies against the SSEA-4 and TRA 1-60 carbohydrate epitopes, and the staining patterns were similar to those observed in human EC cells (Figure 2B, C). ES cells also reacted with monoclonal antibody GCTM-2, which detects an epitope on the protein core of a keratan sulphate/chondroitin sulphate pericellular matrix proteoglycan found in human EC cells (Figure 2D). Like human EC cells, human ES cells did not express SSEA-1, a marker for mouse ES cells. Both cell lines were karyotypically normal and both were derived from female blastocysts.

Oct-4 is a POU domain transcription factor whose expression is limited in the mouse to pluripotent cells, and recent results show directly that zygotic expression of Oct-4 is essential for establishment of the pluripotent stem cell population of the inner cell mass. Oct-4 is also expressed in human EC cells and its expression is down regulated when these cells differentiate. Using RT-PCR to carry out mRNA analysis on isolated colonies consisting mainly of stem cells, we showed that human ES cells also express Oct-4 (Figure 3, lanes 2-4). The PCR product was cloned and sequenced and shown to be identical to human Oct-4 (not shown).

25

30

Example 3 - Differentiation of human ES cells *in vitro*

Both cell lines underwent spontaneous differentiation under standard culture conditions, but the process of spontaneous differentiation could be accelerated by suboptimal culture conditions. Cultivation to high density for extended periods (4-7 weeks) without replacement of a feeder layer promoted differentiation of human ES cells. In high density cultures, expression of the stem cell marker Oct-4 was either undetectable or strongly downregulated relative to the levels of the housekeeping gene beta actin (Figure 3, lanes 5-7). Alphafetoprotein and human chorionic gonadotrophin were readily detected by immunoassay in the supernatants of cultures grown to high density. Alphafetoprotein is a characteristic product of endoderm cells

and may reflect either extraembryonic or embryonic endodermal differentiation; the levels observed (1210-5806 ng/ml) are indicative of extensive endoderm present. Human chorionic gonadotrophin secretion is characteristic of trophoblastic differentiation; the levels observed (6.4-54.6 IU/Litre) are consistent with a modest amount of differentiation along this lineage.

After prolonged cultivation at high density, multicellular aggregates or vesicular structures formed above the plane of the monolayer, and among these structures clusters of cells or single cells with elongated processes which extended out from their cell bodies, forming networks as they contacted other cells (Figure 1F) were observed. The cells and the processes stained positively with antibodies against neurofilament proteins and the neural cell adhesion molecule (Figure 2E and F). Contracting muscle was seen infrequently in the cultures. While contracting muscle was a rare finding, bundles of cells which were stained positively with antibodies directed against muscle specific forms of actin, and less commonly cells containing desmin intermediate filaments (Figure 2G and H) were often observed. In these high density cultures, there was no consistent pattern of structural organisation suggestive of the formation of embryoid bodies similar to those formed in mouse ES cell aggregates or arising sporadically in marmoset ES cell cultures.

Example 4 - Differentiation of human ES cells in xenografts

When HES-1 or HES-2 colonies of either early passage level (6; HES 1 and 2) or late passage level (HES-1, 14 and 27) were inoculated beneath the testis capsule of SCID mice, testicular lesions developed and were palpable from about 5 weeks after inoculation. All mice developed tumours, and in most cases both testis were affected. Upon autopsy lesions consisting of cystic masses filled with pale fluid and areas of solid tissue were observed. There was no gross evidence of metastatic spread to other sites within the peritoneal cavity. Histological examination revealed that the lesion had displaced the normal testis and contained solid areas of teratoma. Embryonal carcinoma was not observed in any lesion. All teratomas contained tissue

representative of all three germ layers. Differentiated tissues seen included cartilage, squamous epithelium, primitive neuroectoderm, ganglionic structures, muscle, bone, and glandular epithelium (Figure 4). Embryoid bodies were not observed in the xenografts.

5

Example 5 - Development, propagation and characterisation of human ES cells derived neural progenitor cells.

a) Derivation of neural progenitor cells from human ES cells.

10

Colonies of undifferentiated ES cells from the cell lines HES-1 and HES-2 were continuously cultured on mouse embryonic fibroblasts feeder layer for 2-3 weeks. At one week after passage, some spontaneous differentiation was usually identified by changes in cell morphology in the center of the colonies. The process of differentiation included at this early stage the neuroectodermal lineage as evident by the expression of early neural markers such as nestin and PAX-6 (Figure 19). From the second week after passage, areas with differentiated small piled tightly packed cells could be identified in the colonies of both cell lines by phase and inverted microscope. During the third week these areas became more defined from neighboring areas of the colony (Figure 26). The size and demarcation of these areas was enhanced if the serum containing ES cell culture medium was replaced after a week or preferably after two weeks from passage with serum free medium supplemented with EGF (20ng/ml) and FGF (20ng/ml). The cells in these areas were not reactive in immunohistochemical staining with the antibody against the early neuroectodermal marker polysialylated NCAM. The areas were large and well demarcated sufficiently to allow mechanical removal of clumps of cells by a micropipette in 54% of the colonies cultured in serum containing medium (67/124, HES-1). Clumps were removed from differentiating colonies of HES-1 and HES-2 and were transferred to serum free medium supplemented with basic fibroblast growth factor (bFGF) and epidermal growth factor (EGF). At the time of isolation, the clumps were comprised mostly of a layer of the small tightly packed cells (about 100-300cells/clump), on top

25

30

Tissue engineering

of some loosely attached larger cells, It was possible to remove these larger cells mechanically or by enzymatic digestion. Within an hour the clumps started to change their shape toward spheres and after 24 hours all the clumps turned into round spheres (Figure 5a).

5

After 7-10 days in culture, gradual increase in the size of the majority of the spheres was evident and most of the spheres were still floating or loosely attached to the dish while a minority attached and started to spread.

10

In an alternative approach, somatic differentiation of ES cells into spheres of progenitor cells was induced by transferring clumps of undifferentiated ES cells into serum free medium supplemented with basic fibroblast growth factor (bFGF) and epidermal growth factor (EGF). Within 24 hours the clumps have turned into spheres. Some of these spheres were round and some had an irregular shape. After 72 hours in serum free medium 42% (10/24) of the spheres had a round symmetrical appearance (Figure 9) and after 12 days 62.5% (15/24). Significant growth was observed in the majority of the spheres during this early culture. It was possible to measure and calculate the average volume of the round floating spheres and it increased by 64% (mean growth of 15 spheres) between days 5 and 12.

15
20
25

b) In vitro propagation of spheres of progenitor cells

After 7-10 days in culture, floating or loosely attached spheres with a diameter of $> 0.5\text{mm}$ were sub-cultured by mechanical dissection into 4 pieces, which were re-plated in fresh pre-equilibrated medium. The spheres were cultivated in this manner during a five to six months period (15 passages). Although some of the spheres had an irregular shape at the initial phase of culture, the rate of round symmetrical spheres increased along propagation. In addition, while at early passage levels the appearance (under a stereo-microscope) of the inner part of the spheres was irregular, it gradually turned to be uniform at more advanced passage levels. By passage level five (five-six

5

10

30

weeks after derivation) all spheres had a round symmetrical shape and a uniform appearance.

Proliferation of the cells was evaluated by determining the increase in the number of spheres with each passage as well as measuring the increase in the volume of the spheres along time. In general, the growth rate of spheres that were generated either from undifferentiated or from differentiating ES cells had a similar pattern characterized by a more excessive growth during the first 5-6 passages. The number of spheres increased by $126\% \pm 54\%$ (Mean \pm SD, sum of results from 3 cell lines) at each passage (performed every 7 days) during the first 5 passages. The growth of the number of spheres with each passage was then reduced to 10-50% per week. This growth rate was maintained for prolonged periods (4 months) (mean data from 3 cell lines). The mean volume of spheres generated either from differentiating ES cells or directly from undifferentiated cells also increased by similar rates (Figures 16 and 17).

Dis-aggregation of the spheres by using trypsin digestion could be ineffective in particular when the spheres were cultivated for prolonged periods, however it was possible to dis-aggregate them into a single cell suspension mechanically following enzymatic digestion with papain. A linear correlation was found between the volume of spheres and the number of cells within the spheres. The coefficients that define the regression line of this correlation were similar in spheres that were derived from differentiating or undifferentiated ES cells. Most of the cells (>90%) were viable following the disaggregation procedure (figure 10, figure 18).

Given the growth rate of the spheres with each passage and the number of cells (20,000, figure 10, 18) per averaged size sphere (0.1mm^3 based on the mean diameter \pm S.D. of 24 spheres 7 days after passage 5, $0.59 \pm 0.14\text{mm}$), it was calculated that 10 clumps of ES cells may generate within 10 passages 2500 spheres containing 50×10^6 cells.

5

Spheres that were cultured in the serum free growth medium (supplemented with growth factors) for prolonged periods (3 weeks) without passage, tended to attach to the tissue culture plastic and gradually spread as a monolayer of cells. The cells in the monolayer had a uniform appearance of neural progenitors and a high mitotic activity was evident (Figure 7).

10

It was possible to recover the spheres from cryopreservation.

c) Characterization of the progenitor cells within the spheres.

Cells in the spheres that were produced either from differentiating ES cell colonies or directly from undifferentiated ES cells expressed markers of primitive neuroectoderm and neural progenitor cells, such as polysialylated N-CAM (Figure 5b, 11,12), the intermediate filament proteins nestin (immunostaining, Figure 5c and 13; RT-PCR, figure 3b and figure 19) and vimentin (Figure 5d and 15), and the transcription factor Pax-6 (Figure 3b and figure 19). The expression of these markers was maintained along prolonged cultivation (18 weeks). The transcriptional factor oct4 was not expressed by the cells in the spheres indicating that undifferentiated human ES cells were not present within the spheres (figure 19).

25

To evaluate the proportion of cells in the spheres that expressed polysialylated NCAM, nestin and vimentin, spheres that were cultivated at least 6 weeks (and up to 18 weeks) were disaggregated to single cell suspension. The resulting single cells were plated on substrate in growth medium. Twenty four hours after plating, an average of 99% (94.5%-100%, n=7 experiments) and 95.5% (95.7%-96.7%, n=6) of the cells from spheres generated from differentiating (three progenitor cell lines) and undifferentiated ES cells (two progenitor cell lines) respectively were decorated with the antibody against polysialylated NCAM. The average proportion of cells that were positively stained for nestin and vimentin was 96.6% (94.3%-100%, n=6) and 73.1% (42.1%-97.5%, n=4) respectively in spheres that were established from differentiating colonies. These markers were expressed by 66.8% (48.5% - 100%, n=5) and 58%

30

(41.6%-76.5%, n=5) of the cells that originated from spheres that were generated from undifferentiated cells. These proportions were stable during prolonged cultivation (18 weeks).

5 The high proportion of cells that expressed polysialylated NCAM indicate that the spheres from both sources were comprised of a highly enriched preparation of neural progenitor cells. An extremely high proportion of cells from spheres that were derived from differentiating ES colonies also expressed the neural progenitor marker nestin. The proportion of cells expressing nestin was less extensive in spheres that originated from undifferentiated ES cells. The high proportion of cells that expressed these markers was stable along prolonged cultivation.

To determine whether cells from other lineages were present within the spheres, the expression of markers of endodermal and mesodermal lineages was examined by RT-PCR and immunohistochemistry.

There was no evidence for the expression of markers of the endodermal lineage (HNF-3, AFP, RT-PCR, Figure 24,) by cells of spheres that were derived by either methods. Moreover, the expression of markers of the endodermal lineage was also not detected in spheres that were derived from differentiating colonies and that were induced to differentiate by plating on an appropriate substrate and culturing in the absence of growth factors for 4 weeks (HNF-3, AFP, transferin were evaluated by RT-PCR; LMW cytokeratin and laminin were evaluated by immunohistochemistry). ES cell colonies that were induced to differentiate by prolonged culture (3-4 weeks) expressed all of the above markers and served as positive controls.

However, expression of markers of mesodermal precursors (FLK-1 and CD-34) was demonstrated in the spheres that were produced by either methods (Figure 24).

It may be concluded that the spheres were comprised of a highly enriched population of neural precursors (>95%) and probably no cells from the endodermal lineage. The expression of the early mesodermal markers may indicate the presence of a minute population of mesodermal precursors within the spheres. Alternatively it may be that the primitive neural precursors within the spheres express these mesodermal markers.

5 The expression of the hematopoietic marker AC-133 (Uchida et al., 2000) that was recently demonstrated in neural stem cells derived from human fetal brains support this possibility. In addition, expression of hematopoietic markers by neural precursors may be in line with the recently reported broad potential of neural stem cells to trans-10 differentiate into a variety of tissues including the hematopoietic system (Bjornson et al., 1999; Clarke et al., 2000).

20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995
1000
1005
1010
1015
1020
1025
1030
1035
1040
1045
1050
1055
1060
1065
1070
1075
1080
1085
1090
1095
1100
1105
1110
1115
1120
1125
1130
1135
1140
1145
1150
1155
1160
1165
1170
1175
1180
1185
1190
1195
1200
1205
1210
1215
1220
1225
1230
1235
1240
1245
1250
1255
1260
1265
1270
1275
1280
1285
1290
1295
1300
1305
1310
1315
1320
1325
1330
1335
1340
1345
1350
1355
1360
1365
1370
1375
1380
1385
1390
1395
1400
1405
1410
1415
1420
1425
1430
1435
1440
1445
1450
1455
1460
1465
1470
1475
1480
1485
1490
1495
1500
1505
1510
1515
1520
1525
1530
1535
1540
1545
1550
1555
1560
1565
1570
1575
1580
1585
1590
1595
1600
1605
1610
1615
1620
1625
1630
1635
1640
1645
1650
1655
1660
1665
1670
1675
1680
1685
1690
1695
1700
1705
1710
1715
1720
1725
1730
1735
1740
1745
1750
1755
1760
1765
1770
1775
1780
1785
1790
1795
1800
1805
1810
1815
1820
1825
1830
1835
1840
1845
1850
1855
1860
1865
1870
1875
1880
1885
1890
1895
1900
1905
1910
1915
1920
1925
1930
1935
1940
1945
1950
1955
1960
1965
1970
1975
1980
1985
1990
1995
2000
2005
2010
2015
2020
2025
2030
2035
2040
2045
2050
2055
2060
2065
2070
2075
2080
2085
2090
2095
2100
2105
2110
2115
2120
2125
2130
2135
2140
2145
2150
2155
2160
2165
2170
2175
2180
2185
2190
2195
2200
2205
2210
2215
2220
2225
2230
2235
2240
2245
2250
2255
2260
2265
2270
2275
2280
2285
2290
2295
2300
2305
2310
2315
2320
2325
2330
2335
2340
2345
2350
2355
2360
2365
2370
2375
2380
2385
2390
2395
2400
2405
2410
2415
2420
2425
2430
2435
2440
2445
2450
2455
2460
2465
2470
2475
2480
2485
2490
2495
2500
2505
2510
2515
2520
2525
2530
2535
2540
2545
2550
2555
2560
2565
2570
2575
2580
2585
2590
2595
2600
2605
2610
2615
2620
2625
2630
2635
2640
2645
2650
2655
2660
2665
2670
2675
2680
2685
2690
2695
2700
2705
2710
2715
2720
2725
2730
2735
2740
2745
2750
2755
2760
2765
2770
2775
2780
2785
2790
2795
2800
2805
2810
2815
2820
2825
2830
2835
2840
2845
2850
2855
2860
2865
2870
2875
2880
2885
2890
2895
2900
2905
2910
2915
2920
2925
2930
2935
2940
2945
2950
2955
2960
2965
2970
2975
2980
2985
2990
2995
3000
3005
3010
3015
3020
3025
3030
3035
3040
3045
3050
3055
3060
3065
3070
3075
3080
3085
3090
3095
3100
3105
3110
3115
3120
3125
3130
3135
3140
3145
3150
3155
3160
3165
3170
3175
3180
3185
3190
3195
3200
3205
3210
3215
3220
3225
3230
3235
3240
3245
3250
3255
3260
3265
3270
3275
3280
3285
3290
3295
3300
3305
3310
3315
3320
3325
3330
3335
3340
3345
3350
3355
3360
3365
3370
3375
3380
3385
3390
3395
3400
3405
3410
3415
3420
3425
3430
3435
3440
3445
3450
3455
3460
3465
3470
3475
3480
3485
3490
3495
3500
3505
3510
3515
3520
3525
3530
3535
3540
3545
3550
3555
3560
3565
3570
3575
3580
3585
3590
3595
3600
3605
3610
3615
3620
3625
3630
3635
3640
3645
3650
3655
3660
3665
3670
3675
3680
3685
3690
3695
3700
3705
3710
3715
3720
3725
3730
3735
3740
3745
3750
3755
3760
3765
3770
3775
3780
3785
3790
3795
3800
3805
3810
3815
3820
3825
3830
3835
3840
3845
3850
3855
3860
3865
3870
3875
3880
3885
3890
3895
3900
3905
3910
3915
3920
3925
3930
3935
3940
3945
3950
3955
3960
3965
3970
3975
3980
3985
3990
3995
4000
4005
4010
4015
4020
4025
4030
4035
4040
4045
4050
4055
4060
4065
4070
4075
4080
4085
4090
4095
4100
4105
4110
4115
4120
4125
4130
4135
4140
4145
4150
4155
4160
4165
4170
4175
4180
4185
4190
4195
4200
4205
4210
4215
4220
4225
4230
4235
4240
4245
4250
4255
4260
4265
4270
4275
4280
4285
4290
4295
4300
4305
4310
4315
4320
4325
4330
4335
4340
4345
4350
4355
4360
4365
4370
4375
4380
4385
4390
4395
4400
4405
4410
4415
4420
4425
4430
4435
4440
4445
4450
4455
4460
4465
4470
4475
4480
4485
4490
4495
4500
4505
4510
4515
4520
4525
4530
4535
4540
4545
4550
4555
4560
4565
4570
4575
4580
4585
4590
4595
4600
4605
4610
4615
4620
4625
4630
4635
4640
4645
4650
4655
4660
4665
4670
4675
4680
4685
4690
4695
4700
4705
4710
4715
4720
4725
4730
4735
4740
4745
4750
4755
4760
4765
4770
4775
4780
4785
4790
4795
4800
4805
4810
4815
4820
4825
4830
4835
4840
4845
4850
4855
4860
4865
4870
4875
4880
4885
4890
4895
4900
4905
4910
4915
4920
4925
4930
4935
4940
4945
4950
4955
4960
4965
4970
4975
4980
4985
4990
4995
5000
5005
5010
5015
5020
5025
5030
5035
5040
5045
5050
5055
5060
5065
5070
5075
5080
5085
5090
5095
5100
5105
5110
5115
5120
5125
5130
5135
5140
5145
5150
5155
5160
5165
5170
5175
5180
5185
5190
5195
5200
5205
5210
5215
5220
5225
5230
5235
5240
5245
5250
5255
5260
5265
5270
5275
5280
5285
5290
5295
5300
5305
5310
5315
5320
5325
5330
5335
5340
5345
5350
5355
5360
5365
5370
5375
5380
5385
5390
5395
5400
5405
5410
5415
5420
5425
5430
5435
5440
5445
5450
5455
5460
5465
5470
5475
5480
5485
5490
5495
5500
5505
5510
5515
5520
5525
5530
5535
5540
5545
5550
5555
5560
5565
5570
5575
5580
5585
5590
5595
5600
5605
5610
5615
5620
5625
5630
5635
5640
5645
5650
5655
5660
5665
5670
5675
5680
5685
5690
5695
5700
5705
5710
5715
5720
5725
5730
5735
5740
5745
5750
5755
5760
5765
5770
5775
5780
5785
5790
5795
5800
5805
5810
5815
5820
5825
5830
5835
5840
5845
5850
5855
5860
5865
5870
5875
5880
5885
5890
5895
5900
5905
5910
5915
5920
5925
5930
5935
5940
5945
5950
5955
5960
5965
5970
5975
5980
5985
5990
5995
6000
6005
6010
6015
6020
6025
6030
6035
6040
6045
6050
6055
6060
6065
6070
6075
6080
6085
6090
6095
6100
6105
6110
6115
6120
6125
6130
6135
6140
6145
6150
6155
6160
6165
6170
6175
6180
6185
6190
6195
6200
6205
6210
6215
6220
6225
6230
6235
6240
6245
6250
6255
6260
6265
6270
6275
6280
6285
6290
6295
6300
6305
6310
6315
6320
6325
6330
6335
6340
6345
6350
6355
6360
6365
6370
6375
6380
6385
6390
6395
6400
6405
6410
6415
6420
6425
6430
6435
6440
6445
6450
6455
6460
6465
6470
6475
6480
6485
6490
6495
6500
6505
6510
6515
6520
6525
6530
6535
6540
6545
6550
6555
6560
6565
6570
6575
6580
6585
6590
6595
6600
6605
6610
6615
6620
6625
6630
6635
6640
6645
6650
6655
6660
6665
6670
6675
6680
6685
6690
6695
6700
6705
6710
6715
6720
6725
6730
6735
6740
6745
6750
6755
6760
6765
6770
6775
6780
6785
6790
6795
6800
6805
6810
6815
6820
6825
6830
6835
6840
6845
6850
6855
6860
6865
6870
6875
6880
6885
6890
6895
6900
6905
6910
6915
6920
6925
6930
6935
6940
6945
6950
6955
6960
6965
6970
6975
6980
6985
6990
6995
7000
7005
7010
7015
7020
7025
7030
7035
7040
7045
7050
7055
7060
7065
7070
7075
7080
7085
7090
7095
7100
7105
7110
7115
7120
7125
7130
7135
7140
7145
7150
7155
7160
7165
7170
7175
7180
7185
7190
7195
7200
7205
7210
7215
7220
7225
7230
7235
7240
7245
7250
7255
7260
7265
7270
7275
7280
7285
7290
7295
7300
7305
7310
7315
7320
7325
7330
7335
7340
7345
7350
7355
7360
7365
7370
7375
7380
7385
7390
7395
7400
7405
7410
7415
7420
7425
7430
7435
7440
7445
7450
7455
7460
7465
7470
7475
7480
7485
7490
7495
7500
7505
7510
7515
7520
7525
7530
7535
7540
7545
7550
7555
7560
7565
7570
7575
7580
7585
7590
7595
7600
7605
7610
7615
7620
7625
7630
7635
7640
7645
7650
7655
7660
7665
7670
7675
7680
7685
7690
7695
7700
7705
7710
7715
7720
7725
7730
7735
7740
7745
7750
7755
7760
7765
7770
7775
7780
7785
7790
7795
7800
7805
7810
7815
7820
7825
7830
7835
7840
7845
7850
7855
7860
7865
7870
7875
7880
7885
7890
7895
7900
7905
7910
7915
7920
7925
7930
7935
7940
7945
7950
7955
7960
7965
7970
7975
7980
7985
7990
7995
8000
8005
8010
8015
8020
8025
8030
8035
8040
8045
8050
8055
8060
8065
8070
8075
8080
8085
8090
8095
8100
8105
8110
8115
8120
8125
8130
8135
8140
8145
8150
8155
8160
8165
8170
8175
8180
8185
8190
8195
8200
8205
8210
8215
8220
8225
8230
8235
8240
8245
8250
8255
8260
8265
8270
8275
8280
8285
8290
8295
8300
8305
8310
8315
8320
8325
8330
8335
8340
8345
8350
8355
8360
8365
8370
8375
8380
8385
8390
8395
8400
8405
8410
8415
8420
8425
8430
8435
8440
8445
8450
8455
8460
8465
8470
8475
8480
8485
8490
8495
8500
8505
8510
8515
8520
8525
8530
8535
8540
8545
8550
8555
8560
8565
8570
8575
8580
8585
8590
8595
8600
8605
8610
8615
8620
8625
8630
8635
8640
8645
8650
8655
8660
8665
8670
8675
8680
8685
8690
8695
8700
8705
8710
8715
8720
8725
8730
8735
8740
8745
8750
8755
8760
8765
8770
8775
8780
8785
8790
8795
8800
8805
8810
8815
8820
8825
8830
8835
8840
8845
8850
8855
8860
8865
8870
8875
8880
8885
8890
8895
8900
8905
8910
8915
8920
8925
8930
8935
8940
8945
8950
8955
8960
8965
8970
8975
8980
8985
8990
8995
9000
9005
9010
9015
9020
9025
9030
9035
9040
9045
9050
9055
9060
9065
9070
9075
9080
9085
9090
9095
9100
9105
9110
9115
9120
9125
9130
9135
9140
9145
9150
9155
9160
9165
9170
9175
9180
9185
9190
9195
9200
9205
9210
9215
9220
9225
9230
9235
9240
9245
9250
9255
9260
9265
9270
9275
9280
9285
9290
9295
9300
9305
9310
9315
9320
9325
9330
9335
9340
9345
9350
9355
9360
9365
9370
9375
9380
9385
9390
9395
9400
9405
9410
9415
9420
9425
9430
9435
9440
9445
9450
9455
9460
9465
94

5 biosynthesis(glutamic acid decarboxylase, Figure 3c and 6g), expressed the enzyme tyrosine hydroxylase (Figure 28) and receptor subunits characteristic of GABAergic neurons (GABA α 2, Figure 3d).

10 e) *In vitro* glial differentiation

Differentiation into both astrocyte cells and oligodendrocyte cells was observed with spheres that were produced either from differentiating ES cells or from undifferentiated cells.

15 While differentiation at a low scale toward glial cells was observed upon withdrawal of growth factors and plating on poly-D-lysine and laminin, various protocols were developed to enhance the differentiation toward this lineage. These protocols were all based on plating the neural progenitor cells on poly-D-lysine and fibronectin, which significantly enhanced the differentiation toward glial cells, and supplementation of the medium with PDGF-AA that promotes glial progenitor cell proliferation and T3 that induces maturation of oligodendrocytes precursors.

20 Differentiation into the astrocyte glial lineage was demonstrated by indirect immunofluorescent staining for GFAP. Few positive cells were occasionally demonstrated when differentiation was induced by withdrawal of growth factors and plating on poly-D-lysine and laminin. However, differentiation into astrocytes was significantly enhanced when the spheres were allowed to differentiate on poly-D-lysine and fibronectin. Moreover, differentiation into astrocytes was highly abundant after the following protocol. The spheres were first propagated six weeks in the presence of PDGF-AA and bFGF and were then plated on poly-D-lysine and fibronectin. They were allowed to spread for a week into a monolayer in the presence of the above growth factors. The differentiating cells were then further cultured for another week in the presence of T3 and PDGF-AA followed by another 1-2 weeks of culture either with T3 or the combination of T3 and PDGF-AA (Figure 20).

25

30

5

To promote differentiation towards oligodendrocyte, spheres were initially cultured for 6 days in serum free medium supplemented with PDGF-AA (20ng/ml) and bFGF (20ng/ml) and were then plated on coverslips coated with poly-D-lysine and laminin in the same medium without growth factors supplementation. The cells in the spheres were allowed to spread and differentiate for 10-12 days. Small cells decorated with the antibody O4 could be demonstrated at that time indicating differentiation into oligodendrocyte progenitors.

10

It was also possible to promote the differentiation into oligodendrocyte progenitors by incubation of the spheres in the presence of PDGF and basic FGF for 3 weeks followed by plating on poly lysine and fibronectin and culture for a week in the presence of the growth factors and T3 followed by 1-2 weeks culture in the presence of T3 without growth factors supplementation (figure 14). Alternatively, spheres that were propagated in the presence of bFGF and EGF were plated on poly lysine and fibronectin and cultured for a week in the presence of bFGF and T3. The cells were then further cultured in the presence of PDGF and T3 for 3-4 weeks.

15
20

25

Differentiation into astrocyte and oligodendrocyte cells was further confirmed at the mRNA level. Spheres were plated on poly-D-lysine and fibronectin and cultured for 2 weeks in the serum free medium supplemented with EGF, bFGF and PDGF-AA. The differentiating spheres were then further cultured two weeks without growth factors in the presence of T3. The expression of GFAP was demonstrated by RT-PCR indicating and confirming the presence of astrocyte cells (Figure 25). The expression of the *plp* gene was used as a marker of differentiation into oligodendrocyte cells. The *plp* gene encodes the proteolipid protein and its alternatively spliced product DM-20, which are major proteins of brain myelin.

30

RT-PCR analysis of the differentiated spheres demonstrated both *dm-20* and *plp* transcripts indicating that differentiation into oligodendrocyte has occurred (Figure 25).

f) Transplantation of neural spheres.

To explore the developmental potential of the human ES-derived neural precursors *in vivo*, and to reveal whether the human precursors can respond to positional cues and participate in the development and histogenesis of a living host, dis-aggregated spheres were implanted into the lateral cerebral ventricles of newborn rats and mice. In some experiments, prior to the transplantation, the neural progenitors were labeled with BrDU. Histological and immunohistochemical evaluation of serial brain sections was performed 4 weeks after transplantation. In transplanted mice, human cells with nuclei decorated by anti BrDU (Figure 21) have migrated in large numbers from the ventricles and integrated in the host brain. The human cells demonstrated a wide spread distribution in the periventricular areas that are mainly consisted of white matter tracks where glial differentiation is predominant and therefore glial differentiation of the transplanted cells is anticipated (Figure 22). Indeed the transplanted cells responded to regional differentiating signals and double immunohistochemical staining for BrDU and GFAP demonstrated cells in the periventricular area that were decorated by both antibodies indicating that the transplanted neural progenitors underwent in-vivo differentiation into astrocytes (Figure 29). Transplanted cells that have differentiated into oligodendrocyte and were therefore reactive with both anti BrDU and anti CNPase, were also demonstrated in the periventricular areas (Figure 30). The transplanted human cells also migrated to a far distance along the rostral migratory stream where neurons are continuously generated throughout life and therefore a neuronal fate of the transplanted cells is expected (Figure 23). These data indicate that the transplanted cells could respond to host cues, could migrate and differentiate according to regional signals.

There was no histological evidence of tumor formation in the recipient animals.

Example 6: Cryo-preservation of human ES cells.

5

10

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100

Attempts to cryo-preserve human ES cells by using conventional slow freezing protocols were associated with a very poor outcome after thawing. Since ES cells are derived from the blastocyst and retain their embryonic properties in culture, we have postulated that cryopreservation by using a method which is efficient for embryos may be beneficial. Early passage clumps of human ES cells were frozen by using the open pulled straw (OPS) vitrification method which was recently shown to be highly efficient for the cryopreservation of bovine blastocysts (Vatja et al. 1998). Both cell lines were successfully thawed and further propagated for prolonged periods. The outcome of the vitrification procedure was further studied on cell line HES-1, and recovery of viable cells with this procedure was found to be highly efficient. All clumps (n=25) survived the procedure and attached and grew after thawing. Vitrification was associated with some cell death as evidenced by the reduced size of colonies originating from vitrified clumps two days after thawing in comparison to colonies from non-vitrified control clumps. However, two days in culture were sufficient to overcome this cell deficit, and 9 days after plating the size of colonies from frozen-thawed clumps exceeded that of control colonies at 7 days. Vitrification did not induce differentiation after thawing. Thawed cells retained a normal karyotype and the expression of primate stem cell markers, and formed teratomas in SCID mice.

Finally it is to be understood that various other modifications and/or alterations may be made without departing from the spirit of the present invention as outlined herein.